



Search for heavy charged long-lived particles in proton–proton collisions at $\sqrt{s} = 13$ TeV using an ionisation measurement with the ATLAS detector

The ATLAS Collaboration*



ARTICLE INFO

Article history:

Received 14 August 2018

Received in revised form 3 October 2018

Accepted 29 October 2018

Available online 1 November 2018

Editor: M. Doser

ABSTRACT

This Letter presents a search for heavy charged long-lived particles produced in proton–proton collisions at $\sqrt{s} = 13$ TeV at the LHC using a data sample corresponding to an integrated luminosity of 36.1 fb^{-1} collected by the ATLAS experiment in 2015 and 2016. These particles are expected to travel with a velocity significantly below the speed of light, and therefore have a specific ionisation higher than any high-momentum Standard Model particle of unit charge. The pixel subsystem of the ATLAS detector is used in this search to measure the ionisation energy loss of all reconstructed charged particles which traverse the pixel detector. Results are interpreted assuming the pair production of R -hadrons as composite colourless states of a long-lived gluino and Standard Model partons. No significant deviation from Standard Model background expectations is observed, and lifetime-dependent upper limits on R -hadron production cross-sections and gluino masses are set, assuming the gluino always decays to two quarks and a 100 GeV stable neutralino. R -hadrons with lifetimes above 1.0 ns are excluded at the 95% confidence level, with lower limits on the gluino mass ranging between 1290 GeV and 2060 GeV. In the case of stable R -hadrons, the lower limit on the gluino mass at the 95% confidence level is 1890 GeV.

© 2018 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

A wide range of physics models that extend the Standard Model (SM) predict the existence of new, massive, long-lived particles (LLPs). These particles appear in proposed solutions to the gauge hierarchy problem [1], including supersymmetric (SUSY) models that either violate [2–4] or conserve [5–12] R -parity. R -parity is a quantum number defined as $(-1)^{3(B-L)+2S}$ where S is the particle spin and L and B are, respectively, its lepton and baryon number. Within SUSY models, sparticles, including gluinos, may be long-lived, with lifetimes depending, for instance, on the mass hierarchy parameters, or on the size of any R -parity-violating coupling [13].

The study in this Letter is sensitive to many different models of new physics, in particular those that predict the production of massive particles with lifetimes exceeding 1 ns at LHC energies, such as mini-split SUSY [10,14,15] or anomaly-mediated supersymmetry-breaking (AMSB) models [16,17]. Results are presented assuming the production of R -hadrons as composite colourless states of a gluino together with SM quarks or gluons [18].

Due to their large mass, LLPs are expected to be slow ($\beta\gamma \leq 0.9^1$ in a large fraction of cases) and therefore, if charged, to have a specific ionisation larger than any SM particle of unit charge at high momentum. The pixel subsystem [19] of the ATLAS detector [20] provides measurements of ionisation energy loss (dE/dx) for charged particles with sufficient accuracy to distinguish such highly ionising particles from SM particles. In this Letter, the dE/dx information is used to search for LLPs using a data sample of proton–proton (pp) collisions corresponding to an integrated luminosity of 36.1 fb^{-1} collected at $\sqrt{s} = 13$ TeV. This extends the reach beyond that of a previous study [21], thanks to a tenfold increase of the integrated luminosity and to several improvements to the analysis. It also extends the reach beyond that of similar studies by CMS [22] and ATLAS [23] carried out at the same centre-of-mass energy and dedicated to the search for LLPs not decaying inside the detector.

¹ Here β is the speed of the particle relative to the speed of light in vacuum and $\gamma = \frac{1}{\sqrt{1-\beta^2}}$.

* E-mail address: atlas.publications@cern.ch.

2. ATLAS detector and ionisation measurement

The ATLAS detector² is a general-purpose detector with a forward-backward symmetric cylindrical symmetry described in detail in Ref. [20]. It consists of a tracker for measuring the trajectories of charged particles inside a 2 T solenoidal magnetic field, followed by calorimeters for measuring the energy of particles that interact electromagnetically or hadronically. A muon spectrometer immersed in a toroidal magnetic field surrounds the calorimeters, and provides tracking for muons. A two-level trigger system is used to select events [24]. The first-level trigger is implemented in hardware and uses a subset of the detector information. This is followed by the software-based high-level trigger, which runs offline reconstruction and calibration software, reducing the event rate to about 1 kHz. The detector is hermetic and can therefore measure the magnitude of the missing transverse momentum ($E_{\text{T}}^{\text{miss}}$) associated with each event. The tracker is made of three detector systems organised in concentric layers. The outermost layer is made of densely packed proportional gas-filled detectors [25], the radial region from roughly 30 cm to 55 cm is equipped with silicon microstrip detectors [26] and the innermost layer is covered by a silicon pixel detector [19], which is described below in some detail as it has a crucial role in this analysis.

The pixel detector typically provides four precision measurements for each track in the region $|\eta| < 2.5$ at radial distances of 33 mm, 50 mm, 88 mm and 122 mm from the LHC beam line. The innermost pixel layer is named the insertable B-layer (IBL) [27] and was designed to maintain efficient operation of the pixel system above $2 \times 10^{34} \text{ cm}^{-2} \text{ s}^{-1}$ luminosity, when the next-to-innermost pixel layer begins to lose detection efficiency. The hit efficiency of the pixel detector in the data sample used for this analysis still exceeds 99% in all layers. For each pixel hit the length of time with signal above threshold, known as *time over threshold* (ToT), is digitised and recorded. The ToT is approximately proportional to the ionisation charge and allows the calculation of the specific ionisation energy, dE/dx , of a track. The ToT measurement is digitised with four bits in the IBL and eight bits in all other pixel layers. If the dynamic range is exceeded for a particular hit in the IBL an overflow bit is set, while for the other layers the hit is not recorded.

The charge released by a moving charged particle is rarely contained within just one pixel; neighbouring pixels registering hits are joined together using a connected component analysis [28,29] to form clusters. The charge of a cluster is calculated by summing the charge of all pixels belonging to the cluster after calibration corrections. To avoid loss of charge, only clusters completely contained in sensor fiducial regions are used (e.g. clusters cannot be in contact with pixels on the sensor edge). The dE/dx for each reconstructed track is calculated using the average of the individual cluster ionisation measurements (charge collected in the cluster per unit track length in the sensor), for the clusters associated with a track. To reduce the impact of the tails of the Landau distribution, which is expected to describe the energy deposition distribution, the track dE/dx is evaluated using a truncated-mean method. The average is calculated after removing the highest- dE/dx cluster, or the two highest- dE/dx clusters in the relatively rare case of more

than four clusters associated with the track. More details of the calculation of dE/dx may be found in Ref. [21].

3. Analysis overview

The search strategy consists of looking for excesses in the mass distribution of reconstructed tracks with high transverse momentum, p_{T} , and large dE/dx . The mass value is determined from a parameterisation of the Bethe–Bloch relation and depends on the momentum and dE/dx of selected tracks.

Two signal regions are considered, and the selection is detailed in Section 6. The first region targets metastable R -hadrons with lifetimes such that the majority of their decays occur inside the detector. In this region, charged particles that reach the muon spectrometer are removed and the selections are optimised for R -hadrons with lifetimes from around 1 ns to several tens of ns. A second signal region targets stable R -hadrons which do not decay within the detector. In this region, no muon veto is applied, since some of the stable R -hadrons that pass through the muon spectrometer are reconstructed as muons.

Events are selected using the lowest-threshold unrescaled calorimetric $E_{\text{T}}^{\text{miss}}$ trigger. In metastable R -hadron events, the measured $E_{\text{T}}^{\text{miss}}$ largely originates from neutralinos which carry away unmeasured momenta. In stable R -hadron events, the R -hadrons leave only modest energy depositions in the calorimeters [30] and only a fraction are reconstructed as muons due to their late arrival time in the muon spectrometer. Therefore, most of the momenta of R -hadrons are not accounted for in the measurement of $E_{\text{T}}^{\text{miss}}$, and only QCD initial-state radiation (ISR) provides a visible contribution that results in a measured imbalance. Due to the neutralinos, the $E_{\text{T}}^{\text{miss}}$ trigger efficiency is higher for metastable than for stable R -hadrons. The track reconstruction efficiency is, on the contrary, higher for the stable R -hadrons and penalises particles with lifetimes shorter than 10 ns, which may not have crossed enough detector layers. The searches for stable and metastable R -hadrons require slightly different optimisations.

The background is estimated with a data-driven approach, as described in Section 7. Data control samples are used to parameterise the momentum and dE/dx distributions and their interdependence, and then to generate pseudo data which predicts the background distribution. The potential signal contamination is minimised in these background samples by inverting some of the selection criteria.

4. Data and simulation

This search uses data from pp collisions at $\sqrt{s} = 13$ TeV provided by the LHC in 2015 and 2016. The integrated luminosity of the data sample is 36.1 fb^{-1} , after requirements on detector status and data quality have been applied. Further detector-level cleaning selections are applied to the data to reject events affected by calorimeter noise and data corruption.

An additional data sample, collected in a dedicated low-luminosity run in 2016, is used for the calibration of dE/dx and mass; it consists of randomly triggered events in bunch crossings where collisions are expected and amounts to about 0.4 nb^{-1} .

Simulation samples are used to determine the efficiency and associated uncertainty for selecting signal events. To model signal events, the pair production of gluinos with masses between 400 GeV and 3000 GeV was simulated in PYTHIA 6.4.27 [31] at leading order with the AUET2B [32] set of tuned parameters for the underlying event and the CTEQ6L1 [33] parton distribution function (PDF) set. Dedicated routines [34] were used to hadronise the gluinos; after hadronisation, about 2/3 of the events contain at least one charged R -hadron. All sparticles except the gluino and

² ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$, and angular distance is measured in units of $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

the lightest neutralino are decoupled. The Monte Carlo (MC) signal samples include a modelling of pile-up, adding the expected number of minimum-bias pp interactions from the same and nearby bunch crossings.

In order to more accurately model ISR in the signal events, additional samples of gluinos were generated at leading order with up to two additional partons using MADGRAPH5_aMC@NLO [35], interfaced to the PYTHIA 8.186 [36] parton shower model. The NNPDF2.3LO [37] PDF set is used along with the A14 [38] set of tuned parameters. The distribution of the transverse momentum of the gluino–gluino system simulated with PYTHIA 6.4.27 was reweighted to match that obtained in the samples simulated with MADGRAPH5_aMC@NLO.

Simulated events undergo full detector simulation [39] based on a GEANT4 [40] framework; the hadronic interactions of R -hadrons with the detector were handled by dedicated GEANT4 routines based on the model described in Refs. [30,34,41]. Signal samples were generated both for non-decaying gluinos, and for gluinos with a set of lifetimes ranging from 1.0 ns to 50 ns which decay into SM quarks and a 100 GeV stable neutralino via the process $\tilde{g} \rightarrow q\bar{q}\tilde{\chi}_1^0$. The decay of the R -hadrons and the fragmentation and hadronisation of the resulting quarks were performed with a modified version of PYTHIA 6.4.27.

To normalise the number of expected signal events, gluino pair production cross-sections are calculated at next-to-leading order in the strong coupling constant, including the resummation of soft-gluino emissions at next-to-leading-logarithm accuracy [42–46]. The nominal cross-section values and uncertainties are taken from an envelope of cross-section predictions using different PDF sets and factorisation and renormalisation scales, as described in Ref. [47].

5. dE/dx corrections and mass calculation

ATLAS has used the measured dE/dx to search for R -hadrons in several previous analyses [21,48,49]. This method has been constantly improved to take into account the evolution of the pixel detector and the experimental conditions. Detailed improvements related to the measurement of dE/dx and mass introduced in this analysis, include:

- Corrections have been made for luminosity- and time-dependent variations of the measured values of dE/dx . The variations are due to changes in the operation parameters of the pixel system and to loss of charge collection due to radiation damage caused by the luminosity delivered. The dE/dx measured in data is scaled by a per-run factor derived to keep the most probable value of the energy loss ($MPV_{dE/dx}$) constant versus time. The $MPV_{dE/dx}$ variation with integrated luminosity before corrections is shown in Fig. 1.
- A low-momentum correction for kaons and protons has been added. All particles are treated as pions in the reconstruction program, but, below 500 MeV, the effect of multiple scattering on the trajectories of kaons and protons is different from the effect on a pion and their momenta are underestimated. To correct for this effect, the difference between the generated and the reconstructed momentum of proton and kaon tracks in simulation samples is fitted as a function of momentum. This parameterised correction is then applied to the momentum of protons and kaons in data, where these particles are identified by means of their dE/dx and momentum. This procedure has simplified the dE/dx calibration, which is performed with low- $\beta\gamma$ SM particles.
- There is a small dependence of the dE/dx on the traversed thickness [50]. For that reason the dE/dx calculated in this




Fig. 1. The most probable value of the track dE/dx ($MPV_{dE/dx}$) versus the integrated luminosity delivered to ATLAS is reported for each data-taking run used in this analysis before corrections are applied. The luminosity plotted here is before detector efficiency and data quality criteria are imposed. The $MPV_{dE/dx}$ is calculated for all tracks with $p_T > 400$ MeV. The points to the left of the dashed line represent the data recorded during 2015, during which a variation of the $MPV_{dE/dx}$ due to the ToT drift of the IBL electronics is pronounced. In data recorded during 2016, a drop of $MPV_{dE/dx}$ over integrated luminosity is observed due to charge collection efficiency losses. Small local fluctuations are also visible. These are caused by the change of the experimental environment and of the detector conditions. In this analysis, the measurement of dE/dx is corrected to account for the variation as a function of data-taking run.

analysis takes into account its small ($< 10\%$) η -dependence. After this correction, the dE/dx depends only on the particle momentum and mass, which simplifies the background estimation (see Section 7).

- As the simulation does not include the effects of radiation damage to the pixel detector sensors, a scale factor of 0.886 is applied to the measurement of dE/dx in simulation to align the $MPV_{dE/dx}$ of the minimum-ionising particles in MC simulation with data, after the run-dependent corrections to the data dE/dx have been applied.

The $\beta\gamma$ of a particle, and therefore its mass if the momentum is known, can be calculated from the dE/dx of its track using the relationship between $\beta\gamma$ and dE/dx . A $\beta\gamma$ value can only be measured in the range $0.3 < \beta\gamma < 0.9$. On average, particles with $\beta\gamma < 0.3$ have a dE/dx such that the ToT dynamic range is exceeded. Particles with $\beta\gamma > 0.9$ have a dE/dx which is too close to the ionisation plateau of relativistic SM particles for an efficient discrimination. This range overlaps well with the expected average $\beta\gamma$ of R -hadrons produced at the LHC, which decreases from around 0.8 for a gluino with mass 600 GeV to around 0.4 for a 2000 GeV gluino.

The mass of a charged particle can be derived from a fit of the specific energy loss and the momentum measurement to an empirical function motivated by the low- β behaviour of the Bethe–Bloch distribution. After applying the low-momentum correction for kaons and protons, it is possible to fit the function relating dE/dx to $\beta\gamma$ with only three parameters (instead of five as in the previous analysis [21]), as shown in Fig. 2. The parametric function describing the relationship between the most probable value of the energy loss ($MPV_{dE/dx}$) and $\beta\gamma$ is:

$$MPV_{dE/dx} = A/(\beta\gamma)^C + B \quad (1)$$

The A , B and C calibration constants were measured using low-momentum pions, kaons and protons reconstructed by ATLAS in low-luminosity runs where all reconstructed tracks with $p_T >$




Fig. 2. $MPV_{dE/dx}$ as a function of $\beta\gamma$ obtained with a sample of minimum-bias data from 2016, for positively charged tracks with three pixel hits used to calculate the dE/dx . This data sample amounts to about 0.4 nb^{-1} . For each kaon and proton, the $\beta\gamma$ value is corrected for the effect of multiple scattering. A fit to the $MPV_{dE/dx}$ dependence on $\beta\gamma$ with an empirical three-parameter function $MPV_{dE/dx} = A/(\beta\gamma)^C + B$ motivated by Bethe–Bloch relation is also shown. The values of the A , B and C parameters for tracks with different charge and different number of pixel hits are all compatible.

100 MeV are considered. In bins of momentum, the reconstructed dE/dx distribution shows three distinct peaks, to which the nominal pion, kaon, and proton masses are respectively assigned in increasing order of dE/dx to obtain a $\beta\gamma$ for the three measured dE/dx values. The $MPV_{dE/dx}$ is extracted from a fit to the distribution of dE/dx values for each particle species across all momentum bins. The mass parameterisation is valid for both data and simulation after the correction to dE/dx in simulation is applied.

Given a measured value of dE/dx and momentum, and assuming unit charge, the mass m is calculated from Eq. (1) by numerically solving the equation $MPV_{dE/dx}(p/m) = dE/dx$ for the unknown m , where the $MPV_{dE/dx}$ is approximated by the truncated-mean measurement of dE/dx . Using this method, the reconstructed mass for simulated R -hadrons reproduces well the generated mass up to about 1.5 TeV, above which a bias in the measured momentum causes the reconstructed mass to fall below the generated value. The momentum uncertainty dominates the mass resolution above masses of 200 GeV. The measurement of the proton mass in all data-taking runs used in this analysis allows the monitoring of the stability of the A , B and C calibration constants. These are found to be stable at the 1% level after all corrections have been applied.

6. Event selection

Events are first selected with a trigger based on E_T^{miss} , which is calculated using energy measurements in the calorimeter with corrections for multiple pp interactions in each event [24]. The high-level E_T^{miss} trigger threshold varies from 70 GeV to 110 GeV during the data-taking period. In the reconstruction, E_T^{miss} is built from calibrated muons and electrons which pass baseline selections, from calibrated jets reconstructed with the anti- k_t jet clustering algorithm [51] with radius parameter $R = 0.4$ using clusters of energy depositions in the calorimeter as inputs, and from a term that includes soft tracks not associated with any other objects in the event [52] but consistent with the primary vertex (PV). Events are required to have $E_T^{\text{miss}} > 170$ GeV to enhance the signal sensitivity and to ensure that the selected events are near the efficiency plateau of the trigger. To ensure a good calculation of E_T^{miss} , events are rejected if they contain a jet with $E_T > 20$ GeV that

is consistent with detector noise or beam-induced backgrounds, as determined from shower shape information. Unlike in standard ATLAS selections for jet-cleaning [53], a requirement on the relationship between track and calorimeter measurements of p_T and a requirement on the fraction of jet energy deposited in the electromagnetic calorimeter are not applied as they are found to be inefficient for signal events in which an R -hadron decays before or inside the calorimeters. The trigger is more than 95% efficient for R -hadrons with lifetimes of 10 ns or less; the efficiency decreases as more decays happen in or after the calorimeter and falls to around 30–40% for the stable case.

There are two separate signal regions with slightly different optimisations for metastable and stable particles: the isolation selections differ slightly for the two signal regions, and a muon veto is applied only for the metastable region. Additionally, events with a high- p_T muon whose momentum uncertainty is significantly worse after combining tracks from the inner detector and muon system are vetoed in the metastable region, in order to protect the measurement of E_T^{miss} from rare, pathological reconstructions of muons. After passing the trigger and E_T^{miss} selections, events are required to have a PV built from at least two reconstructed tracks each with p_T above 400 MeV, and to contain at least one candidate track that passes the track-level selections detailed below. If there are multiple candidate tracks in an event after all selections, the candidate with the highest track p_T is selected.

To enrich the selected sample in potential signal events, candidate tracks are required to have $p_T > 50$ GeV, momentum $p > 150$ GeV, and $|\eta| < 2.0$. To reject non-prompt background tracks and those inconsistent with the PV, the transverse impact parameter of candidate tracks, $|d_0|$, must be less than 2 mm, and the absolute value of the product of the longitudinal impact parameter, z_0 , and $\sin\theta$ must be less than 3 mm.³ Reconstructed tracks must have at least seven clusters across the pixel and SCT detectors, and to be considered a candidate the track must have an associated cluster in the innermost pixel layer if it passes through an active detector module.

To reject tracks from leptonic W decays, the transverse mass (m_T) of the candidate track and the E_T^{miss} in the event must be greater than 130 GeV.⁴ Tracks from electrons are removed by considering any jets within $\Delta R = 0.05$ of the candidate track with $p_T > 20$ GeV, and rejecting the track if any such jet has at least 95% of its energy deposited in the electromagnetic calorimeter. SM hadrons are removed by excluding tracks for which any associated jet within $\Delta R = 0.05$ of the track has a calibrated energy larger than the track momentum. In the metastable R -hadron signal region, tracks identified as well-reconstructed muons which pass the “medium” quality selection [54] and which have $p_T > 25$ GeV are rejected.

Tracks with high ionisation deposits from multiple SM particles which overlap in the pixel sensors are rejected with two types of isolation selections. The first explicitly requires that no clusters on the track are consistent with two or more tracks [55]. The second requires that the scalar sum of the p_T of other tracks, with $p_T > 1$ GeV and consistent with the PV, in a cone of size $\Delta R = 0.25$ around the candidate track, must be less than 20 GeV for the metastable R -hadron selection. To reduce background in

³ The transverse impact parameter is defined as the distance of closest approach in the transverse plane between a track and the beam-line. The longitudinal impact parameter corresponds to the z -coordinate distance between the point along the track at which the transverse impact parameter is defined and the primary vertex.

⁴ $m_T = \sqrt{2p_T E_T^{\text{miss}} (1 - \cos(\Delta\phi(E_T^{\text{miss}}, \text{track})))}$, where $\Delta\phi(E_T^{\text{miss}}, \text{track})$ is the azimuthal separation between the track and the E_T^{miss} vector.

Table 1

Summary of the different selection requirements applied to the signal region (SR), the validation region (VR), and the control regions (CR).

	SR	VR	p-CR		dE/dx-CR	
			for SR	for VR	for SR	for VR
Track momentum [GeV]	> 150	50–150	> 150	50–150	> 150	50–150
E_T^{miss} [GeV]	> 170		> 170		< 170	
Ionisation [$\text{MeV g}^{-1} \text{cm}^2$]	> 1.8		< 1.8		–	

the stable R -hadron region in which muons are not vetoed, the isolation selection is tightened to 5 GeV.

At least two pixel clusters, after discarding the cluster with the highest ionisation, must be included in the truncated mean calculation of dE/dx to ensure it is robust. The relative uncertainty in the momentum measurement must be less than 50%. The specific ionisation of the candidate track measured by the pixel detector must be larger than $1.8 \text{ MeV g}^{-1} \text{cm}^2$. Relative to inclusive generated R -hadron events with a mass of 2000 GeV, the efficiency for events to pass all selections, including the trigger, is 12% for stable R -hadrons and 19% for those with a lifetime of 10 ns.

7. Background estimation

The expected background contains tracks from SM processes including vector boson, top-quark, and multi-jet production. Tracks from any SM particle can be measured with high dE/dx due to the unlikely sampling of multiple measurements from the long tail of the Landau distribution, from overlapping particles depositing charge in the same pixels, or from spurious pixel hits from low-momentum particles being incorrectly assigned to the high-momentum track. To correctly estimate both the rate of high-momentum tracks in events with large E_T^{miss} and the probability of measuring a high ionisation energy for those tracks, the background is fully estimated from data.

A template for the momentum distribution of background tracks in signal region (SR) events is obtained from a control region (p -CR) in which the ionisation requirement is inverted, $dE/dx < 1.8 \text{ MeV g}^{-1} \text{cm}^2$, while all other track-level and event-level selections are applied.

The dE/dx distribution, in a few bins of momentum,⁵ is obtained for the expected background from a low- E_T^{miss} data sample in which $E_T^{\text{miss}} < 170 \text{ GeV}$. Inverting the E_T^{miss} requirement relative to the high- E_T^{miss} SR minimises signal contamination in this control region (dE/dx -CR), and the lack of correlation between E_T^{miss} and dE/dx for high-momentum SM tracks allows the dE/dx distribution of the expected background to be derived from low- E_T^{miss} events which pass all other selections. Since the E_T^{miss} trigger thresholds varied as a function of time for the collected data, the events in this control region are reweighted so that the ratio of low-to-high E_T^{miss} events is constant versus time.

The momentum and dE/dx distributions obtained in the control regions (CR)s are used as templates to calculate the shape of the expected mass distribution of candidate tracks from background events. A pair of p and dE/dx values is obtained by randomly sampling from the p -CR distribution, and then randomly sampling from the dE/dx -CR distribution in the appropriate p -bin. The mass for each pair of p and dE/dx values is calculated as described in Section 5. The resulting background mass distribution is normalised to data in the region where $m < 160 \text{ GeV}$, in which

signal was previously excluded [48,56], before the high ionisation requirement is imposed.

The procedure for estimating both the normalisation and shape of the expected background is validated in a low-momentum validation region (VR) in which the momentum of tracks is required to be between 50 GeV and 150 GeV. The differences between the selections applied to the SR, CR, and VR are shown in Table 1. The control and validation regions are independently produced for both the metastable and stable R -hadron SRs. The expected mass distributions in the two validation regions, along with the observed data, are shown in Fig. 3. Good agreement between the data and the prediction in the VR validates the background estimation procedure.

8. Systematic uncertainties

The background estimation technique described in the previous section relies on the lack of correlation between several key kinematic variables in background events. The largest uncertainties in the central value of the background estimate come from possible residual correlations. In particular, the residual correlation between η and dE/dx results in an uncertainty in the size of the background estimate ranging from 15% at the lowest mass values to 30% at the highest mass values. This uncertainty is assessed by comparing the nominal background estimate with an estimate performed in η bins. Additionally, an uncertainty of 1%–25% in the background yield arises from residual correlations between p and dE/dx for tracks entering the background calculation. This is estimated by reweighting the p template from the p -CR by the difference in the p distribution between tracks with high and low dE/dx in the low- E_T^{miss} region. Similarly, the residual correlation between E_T^{miss} and dE/dx is probed by rescaling the template dE/dx distribution with a scale factor obtained from the difference between the dE/dx distributions in the VR for tracks in events with high E_T^{miss} and low E_T^{miss} . This uncertainty ranges from 3% to 12% on the background expectation in different mass windows.

As the background is fully estimated from data, detector or data-taking conditions which affect the measurement of dE/dx are accounted for, as long as the luminosity profile of the control regions matches that of the signal region. The reweighting of the dE/dx -CR control region achieves this. A conservative uncertainty in the time-dependence of the dE/dx measurement is assessed by comparing the background estimate with and without the reweighting, which results in an additional uncertainty of 3%–18% on the background yields. The limited numbers of events in the control regions contribute 6% uncertainty. Other uncertainties in the background estimate are below 5%, including an uncertainty in the shape of the dE/dx tail from the CR and in the different fractions of muons between the CR and SR.

The uncertainty in the expected number of signal events is dominated by the estimation of the production cross-section of gluino–gluino pairs; the calculation of the cross-section and its uncertainty is described in Section 4. The uncertainty ranges from 14% for gluino masses of 600 GeV to 36% for masses of 2200 GeV. An additional uncertainty in the number of produced signal events

⁵ To account for the dependence of dE/dx on momentum up to the Fermi plateau. The most probable energy loss reaches a constant value, the Fermi plateau, at large $\beta\gamma$.




Fig. 3. The reconstructed mass distribution in the (a) metastable and (b) stable R -hadron validation regions for observed data and the predicted background, including the total uncertainty in the background estimate. The validation regions have the same requirements as the SRs, except the momentum of the candidate tracks is required to be $50 < p < 150$ GeV.

of 2.1% is due to the uncertainty in the dataset luminosity, which is measured in dedicated x - y beam-separation scans performed in May 2016 using a method similar to one described in Ref. [57].

The largest uncertainty on the signal efficiency results from the modelling of ISR production, which affects the E_T^{miss} distribution. This uncertainty is estimated as half the difference between the expected number of events calculated with the PYTHIA 6.4.27 gluino-gluino p_T distribution and with the distribution reweighted to match that of the MADGRAPH5_aMC@NLO sample. This uncertainty depends on both the lifetime and mass of the signal sample and ranges from 1% for lifetimes up to 10 ns to 19% for stable samples. Uncertainties ranging from 1% to 6% in the efficiency of the dE/dx selection are included to account for both the shape difference between the ionisation distributions in data and MC simulation and the scale shift in data due to radiation damage. The efficiency of selecting tracks with at least two measurements used to determine the dE/dx depends on the operating conditions of the detector and the instantaneous luminosity. The accuracy of the simulation in modelling this efficiency is tested in $Z \rightarrow \mu\mu$ events in both data and MC simulation; the maximum difference in efficiency as a function of pile-up is found to be 6%, which is taken as an uncertainty. Additional uncertainties, each less than 5%, on the signal selection efficiency are due to uncertainties in how well the simulation models trigger and offline E_T^{miss} , the pile-up distribution, the scale and uncertainty of the momentum measurement, and the efficiency for reconstructing stable R -hadrons as muons.

9. Results

The distributions of the reconstructed mass of candidate tracks in the two signal regions are shown in Fig. 4 for events observed in data, together with the expected background and the predictions from several signal models. The total numbers of expected and observed events in the two SRs as well as in the background CRs and VRs are shown in Table 2. Overall, the number of observed events in the two SRs is consistent with the background expectation.

To quantify the level of agreement between data and background in the shape of the mass distribution, discrete but overlapping asymmetric windows in the reconstructed mass distribution are defined so as to contain at least 70% of the reconstructed mass of a signal sample with a given simulated gluino mass. All windows have an upper boundary of 5000 GeV to remove any unphysical measurements. The lower boundary for a given simulated mass




Fig. 4. The reconstructed candidate track mass distributions for observed data, predicted background, and the expected contribution from two signal models in the (a) metastable and (b) stable R -hadron signal regions. The yellow band around the background estimation includes both the statistical and systematic uncertainties.

varies slightly for different lifetimes. Twelve windows are used in each of the two signal regions. The compatibility of the observed event counts with the background expectation is tested within

Table 2

The number of events in each CR, VR, and SR for the predicted background, for the expected contribution from two signal models normalised to 36.1 fb^{-1} , and in the observed data. The predicted background includes the statistical and systematic uncertainties, respectively. The uncertainty in the signal yield includes all systematic uncertainties except that in the theoretical cross-section.

Region	Sample	Pred. Bkg (\pm stat. \pm syst.)	Exp. signal	Data
Metastable			$m(\tilde{g}) = 1600 \text{ GeV}$, $\tau(\tilde{g}) = 10 \text{ ns}$	
	p -CR	–	12.0 ± 0.9	7397
	dE/dx -CR	–	7.2 ± 0.6	110019
	VR	$140 \pm 4 \pm 28$	0.3 ± 0.03	130
	SR	$71 \pm 2 \pm 14$	52.1 ± 4.2	72
Stable			$m(\tilde{g}) = 1600 \text{ GeV}$, stable	
	p -CR	–	8.0 ± 1.6	13108
	dE/dx -CR	–	10.3 ± 2.1	272723
	VR	$168 \pm 5 \pm 32$	0.2 ± 0.04	138
	SR	$107 \pm 3 \pm 28$	36.0 ± 7.2	107




Fig. 5. The 95% CL upper limit on the cross-section as a function of mass for (a) gluinos with lifetime $\tau = 10 \text{ ns}$ decaying into $q\bar{q}$ and a 100 GeV neutralino and for (b) detector-stable gluinos, with the observed limit shown as a solid black line. The predicted production cross-section values are shown in purple along with their uncertainty. The expected upper limit in the case of only background is shown by the dashed black line, with a green $\pm 1\sigma_{\text{exp}}$ and a yellow $\pm 2\sigma_{\text{exp}}$ band. Theory cross-sections are from Refs. [42–46].

each mass window. The largest deviation from the background-only hypothesis is found to have a local significance of 2.4σ and is in the stable R -hadron SR in the mass bin designed to cover a 600 GeV gluino (with a mass window from 500 to 5000 GeV). The source of this deviation is a mild excess of data events relative to the background prediction around 500–800 GeV.

In the absence of any significant excess, model-independent upper limits at 95% CL on the visible production cross-sections are calculated by dividing the number of signal events consistent at the 95% CL with the expected background and observed data in the most inclusive mass window for each SR by the integrated luminosity. For the metastable R -hadron SR, the p -value for the background-only hypothesis is 0.15 in the window from 500 to 5000 GeV, and the upper limit on the visible production cross-section is 0.35 fb with an expected limit of $0.25^{+0.09}_{-0.07} \text{ fb}$. In the stable R -hadron SR mass window from 300 to 5000 GeV, the background-only p -value is 0.09 and the model-independent upper limit on the visible production cross-section is 0.88 fb , with an expected limit of $0.57^{+0.20}_{-0.12} \text{ fb}$. Information in full detail about the expected and observed results in each mass window is provided in Ref. [58].

Expected and observed upper limits on R -hadron production cross-sections are calculated from the predicted background, the expected signal, and the observed event yields in each mass window, using the one-sided profile-likelihood ratio as a test statistic. The upper limits on the cross-sections are evaluated at 95% CL following the CL_s prescription [59]. In this procedure, the uncertain-

ties in the signal and background yields are treated as Gaussian-distributed nuisance parameters. The cross-section upper limits for a gluino R -hadron with lifetime of 10 ns decaying into $q\bar{q}$ and a 100 GeV neutralino and for a detector-stable R -hadron are shown in Fig. 5.

The cross-section limits and the predicted production cross-sections for gluinos are used to set lower limits on expected and observed masses, as a function of lifetime. The excluded regions in the lifetime–mass plane for gluino R -hadrons which decay into a 100 GeV neutralino and quarks are shown in Fig. 6. Masses smaller than 2060 GeV are excluded for the most sensitive lifetime of 10 ns, masses smaller than 1890 GeV are excluded for the stable case, and masses smaller than 1290 GeV are excluded for a lifetime of 1 ns. Sensitivity to signals with lifetimes shorter than 1 ns falls off quickly, and is complemented by searches for disappearing tracks [60] and displaced vertices [61]. The selection and trigger efficiency, and therefore mass sensitivity, is comparable for a wide range of neutralino masses. For neutralino masses that approach the mass of the gluino, the total efficiency drops by up to a factor of three in these highly compressed decays.

10. Conclusion

A search has been performed for stable and metastable non-relativistic long-lived particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ at the LHC and identified through their large momenta and anomalous specific ionisation energy loss in the ATLAS pixel




Fig. 6. Observed and expected 95% lower limits on the gluino mass in the gluino lifetime–mass plane. The excluded area is to the left of the curves. The observed limit is shown by the solid red line with dot markers with $\pm 1\sigma$ of its theoretical uncertainties (σ_{th}) shown as dashed-red lines, and the expected limit is shown as a black line with $\pm 1\sigma$ of its experimental uncertainties (σ_{exp}) shown as a yellow band. The 8 TeV results, shown with blue squares, are from Ref. [49] and the 13 TeV results with 3.2 fb^{-1} , shown with pink triangles, are from Ref. [21].

detector. The data sample analysed corresponds to an integrated luminosity of 36.1 fb^{-1} collected by the ATLAS experiment in 2015 and 2016. Results are interpreted assuming the pair production of R -hadrons as composite colourless states of a long-lived gluino and SM partons. With some model-dependent assumptions, a lifetime-dependent lower limit is set on the mass of metastable and stable gluinos inside R -hadrons. Maximum sensitivity is reached for gluinos with lifetimes of 10 ns, for which masses smaller than 2060 GeV are observed to be excluded at the 95% confidence level. Stable gluinos with masses smaller than 1890 GeV are excluded at 95% confidence level.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union;

Investissements d’Avenir Labex and IDEX, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [62].

References

- [1] L. Susskind, The gauge hierarchy problem, technicolour, supersymmetry, and all that, *Phys. Rep.* 104 (1984) 181.
- [2] H.K. Dreiner, An introduction to explicit R -parity violation, *Adv. Ser. Dir. High Energy Phys.* 21 (2010) 565, arXiv:hep-ph/9707435.
- [3] E.L. Berger, Z. Sullivan, Lower limits on R -parity-violating couplings in supersymmetry, *Phys. Rev. Lett.* 92 (2004) 201801, arXiv:hep-ph/0310001.
- [4] R. Barbier, et al., R -parity violating supersymmetry, *Phys. Rep.* 420 (2005) 1, arXiv:hep-ph/0406039.
- [5] C.F. Kolda, Gauge-mediated supersymmetry breaking: introduction, review and update, *Nucl. Phys. Proc. Suppl.* 62 (1998) 266, arXiv:hep-ph/9707450.
- [6] H. Baer, K. Cheung, J.F. Gunion, A heavy gluino as the lightest supersymmetric particle, *Phys. Rev. D* 59 (1999) 075002, arXiv:hep-ph/9806361.
- [7] S.J. Gates Jr., O. Lebedev, Searching for supersymmetry in hadrons, *Phys. Lett. B* 477 (2000) 216, arXiv:hep-ph/9912362.
- [8] A. Mafi, S. Raby, An analysis of a heavy gluino LSP at CDF: the heavy gluino window, *Phys. Rev. D* 62 (2000) 035003, arXiv:hep-ph/9912436.
- [9] M.B. Chertok, et al., Phenomenology of a constrained standard model from an extra dimension, eConf C010630 (2001) P310, arXiv:hep-ph/0112001 [hep-ph].
- [10] G.F. Giudice, A. Romanino, Split supersymmetry, *Nucl. Phys. B* 699 (2004) 65, arXiv:hep-ph/0406088.
- [11] N. Arkani-Hamed, S. Dimopoulos, G.F. Giudice, A. Romanino, Aspects of split supersymmetry, *Nucl. Phys. B* 709 (2005) 3, arXiv:hep-ph/0409232.
- [12] M. Fairbairn, et al., Stable massive particles at colliders, *Phys. Rep.* 438 (2007) 1, arXiv:hep-ph/0611040.
- [13] M.R. Buckley, L. Randall, B. Shuve, LHC searches for non-chiral weakly charged multiplets, *J. High Energy Phys.* 05 (2011) 097, arXiv:0909.4549 [hep-ph].
- [14] N. Arkani-Hamed, S. Dimopoulos, Supersymmetric unification without low energy supersymmetry and signatures for fine-tuning at the LHC, *J. High Energy Phys.* 06 (2005) 073, arXiv:hep-th/0405159.
- [15] A. Arvanitaki, N. Craig, S. Dimopoulos, G. Villadoro, Mini-split, *J. High Energy Phys.* 02 (2013) 126, arXiv:1210.0555 [hep-ph].
- [16] G.F. Giudice, M.A. Luty, H. Murayama, R. Rattazzi, Gaugino mass without singlets, *J. High Energy Phys.* 12 (1998) 027, arXiv:hep-ph/9810442.
- [17] L. Randall, R. Sundrum, Out of this world supersymmetry breaking, *Nucl. Phys. B* 557 (1999) 79, arXiv:hep-th/9810155.
- [18] G.R. Farrar, P. Fayet, Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry, *Phys. Lett. B* 76 (1978) 575.
- [19] G. Aad, et al., ATLAS pixel detector electronics and sensors, *J. Instrum.* 3 (2008) P07007.
- [20] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* 3 (2008) S08003.
- [21] ATLAS Collaboration, Search for metastable heavy charged particles with large ionization energy loss in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS experiment, *Phys. Rev. D* 93 (2016) 112015, arXiv:1604.04520 [hep-ex].
- [22] CMS Collaboration, Search for long-lived charged particles in proton–proton collisions at $\sqrt{s} = 13 \text{ TeV}$, *Phys. Rev. D* 94 (2016) 112004, arXiv:1609.08382 [hep-ex].
- [23] ATLAS Collaboration, Search for heavy long-lived charged R -hadrons with the ATLAS detector in 3.2 fb^{-1} of proton–proton collision data at $\sqrt{s} = 13 \text{ TeV}$, *Phys. Lett. B* 760 (2016) 647, arXiv:1606.05129 [hep-ex].
- [24] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [25] ATLAS Collaboration, Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties, *J. Instrum.* 12 (2017) P05002, arXiv:1702.06473 [hep-ex].
- [26] ATLAS Collaboration, Operation and performance of the ATLAS semiconductor tracker, *J. Instrum.* 9 (2014) P08009, arXiv:1404.7473 [hep-ex].

- [27] ATLAS IBL Collaboration, Production and integration of the ATLAS insertable B-layer, *J. Instrum.* 13 (2018) T05008, arXiv:1803.00844.
- [28] A. Rosenfeld, J.L. Pfaltz, Sequential operations in digital picture processing, *J. Assoc. Comput. Mach.* 13 (4) (1966) 471, <http://dl.acm.org/citation.cfm?id=321357>.
- [29] ATLAS Collaboration, A neural network clustering algorithm for the ATLAS silicon pixel detector, *J. Instrum.* 9 (2014) P09009, arXiv:1406.7690 [hep-ex].
- [30] R. Mackeprang, A. Rizzi, Interactions of coloured heavy stable particles in matter, *Eur. Phys. J. C* 50 (2007) 353, arXiv:hep-ph/0612161.
- [31] T. Sjöstrand, S. Mrenna, P. Skands, PYTHIA 6.4 physics and manual, *J. High Energy Phys.* 05 (2006) 026, arXiv:hep-ph/0603175.
- [32] ATLAS Collaboration, Further ATLAS tunes of PYTHIA 6 and PYTHIA 8, ATL-PHYS-PUB-2011-014, 2011, <https://cds.cern.ch/record/1400677>.
- [33] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* 07 (2002) 012, arXiv:hep-ph/0201195.
- [34] A.C. Kraan, Interactions of heavy stable hadronizing particles, *Eur. Phys. J. C* 37 (2004) 91, arXiv:hep-ex/0404001.
- [35] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [36] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [37] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [38] ATLAS Collaboration, ATLAS PYTHIA 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, 2014, <https://cds.cern.ch/record/1966419>.
- [39] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [hep-ex].
- [40] S. Agostinelli, et al., GEANT4: a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250.
- [41] R. Mackeprang, D. Milstead, An updated description of heavy-hadron interactions in GEANT-4, *Eur. Phys. J. C* 66 (2010) 493, arXiv:0908.1868 [hep-ph].
- [42] W. Beenakker, R. Hopker, M. Spira, P.M. Zerwas, Squark and gluino production at hadron colliders, *Nucl. Phys. B* 492 (1997) 51, arXiv:hep-ph/9610490.
- [43] A. Kulesza, L. Motyka, Threshold resummation for squark-antisquark and gluino-pair production at the LHC, *Phys. Rev. Lett.* 102 (2009) 111802, arXiv:0807.2405 [hep-ph].
- [44] A. Kulesza, L. Motyka, Soft gluon resummation for the production of gluino-gluino and squark-antisquark pairs at the LHC, *Phys. Rev. D* 80 (2009) 095004, arXiv:0905.4749 [hep-ph].
- [45] W. Beenakker, et al., Soft-gluon resummation for squark and gluino hadroproduction, *J. High Energy Phys.* 12 (2009) 041, arXiv:0909.4418 [hep-ph].
- [46] W. Beenakker, et al., Squark and gluino hadroproduction, *Int. J. Mod. Phys. A* 26 (2011) 2637, arXiv:1105.1110 [hep-ph].
- [47] C. Borschensky, et al., Squark and gluino production cross sections in pp collisions at $\sqrt{s} = 13, 14, 33$ and 100 TeV, *Eur. Phys. J. C* 74 (2014) 3174, arXiv:1407.5066 [hep-ph].
- [48] ATLAS Collaboration, Searches for heavy long-lived sleptons and R-hadrons with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, *Phys. Lett. B* 720 (2013) 277, arXiv:1211.1597 [hep-ex].
- [49] ATLAS Collaboration, Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment, *Eur. Phys. J. C* 75 (2015) 407, arXiv:1506.05332 [hep-ex].
- [50] H. Bichsel, Straggling in thin silicon detectors, *Rev. Mod. Phys.* 60 (1988) 663.
- [51] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_r jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, <http://stacks.iop.org/1126-6708/2008/i=04/a=063>.
- [52] ATLAS Collaboration, Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector, *Eur. Phys. J. C* 77 (2017) 241, arXiv:1609.09324 [hep-ex].
- [53] ATLAS Collaboration, Selection of jets produced in 13 TeV proton-proton collisions with the ATLAS detector, ATLAS-CONF-2015-029, 2015, <https://cds.cern.ch/record/2037702>.
- [54] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [55] ATLAS Collaboration, Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2, *Eur. Phys. J. C* 77 (2017) 673, arXiv:1704.07983 [hep-ex].
- [56] D.E. Acosta, et al., Search for long-lived charged massive particles in anti- pp collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* 90 (2003) 131801, arXiv:hep-ex/0211064 [hep-ex].
- [57] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [58] ATLAS Collaboration, HepData record for this publication, <https://doi.org/10.17182/hepdata.83962>.
- [59] A.L. Read, Presentation of search results: the CL_s technique, *J. Phys. G* 28 (2002) 2693.
- [60] ATLAS Collaboration, Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *J. High Energy Phys.* 06 (2018) 022, arXiv:1712.02118 [hep-ex].
- [61] ATLAS Collaboration, Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, *Phys. Rev. D* 97 (2018) 052012, arXiv:1710.04901 [hep-ex].
- [62] ATLAS Collaboration, ATLAS computing acknowledgements, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

M. Aaboud^{34d}, G. Aad⁹⁹, B. Abbott¹²⁴, O. Abdinov^{13,*}, B. Abeloos¹²⁸, D.K. Abhayasinghe⁹¹, S.H. Abidi¹⁶⁴, O.S. AbouZeid³⁹, N.L. Abraham¹⁵³, H. Abramowicz¹⁵⁸, H. Abreu¹⁵⁷, Y. Abulaiti⁶, B.S. Acharya^{64a,64b,n}, S. Adachi¹⁶⁰, L. Adam⁹⁷, L. Adamczyk^{81a}, J. Adelman¹¹⁹, M. Adersberger¹¹², A. Adiguzel^{12c,ag}, T. Adye¹⁴¹, A.A. Affolder¹⁴³, Y. Afik¹⁵⁷, C. Agheorghiesei^{27c}, J.A. Aguilar-Saavedra^{136f,136a}, F. Ahmadov^{77,ae}, G. Aielli^{71a,71b}, S. Akatsuka⁸³, T.P.A. Åkesson⁹⁴, E. Akilli⁵², A.V. Akimov¹⁰⁸, G.L. Alberghi^{23b,23a}, J. Albert¹⁷³, P. Albicocco⁴⁹, M.J. Alconada Verzini⁸⁶, S. Alderweireldt¹¹⁷, M. Aleksa³⁵, I.N. Aleksandrov⁷⁷, C. Alexa^{27b}, T. Alexopoulos¹⁰, M. Alhroob¹²⁴, B. Ali¹³⁸, G. Alimonti^{66a}, J. Alison³⁶, S.P. Alkire¹⁴⁵, C. Allaire¹²⁸, B.M.M. Allbrooke¹⁵³, B.W. Allen¹²⁷, P.P. Allport²¹, A. Aloisio^{67a,67b}, A. Alonso³⁹, F. Alonso⁸⁶, C. Alpigiani¹⁴⁵, A.A. Alshehri⁵⁵, M.I. Alstaty⁹⁹, B. Alvarez Gonzalez³⁵, D. Álvarez Piqueras¹⁷¹, M.G. Alvigi^{67a,67b}, B.T. Amadio¹⁸, Y. Amaral Coutinho^{78b}, A. Ambler¹⁰¹, L. Ambroz¹³¹, C. Amelung²⁶, D. Amidei¹⁰³, S.P. Amor Dos Santos^{136a,136c}, S. Amoroso⁴⁴, C.S. Amrouche⁵², C. Anastopoulos¹⁴⁶, L.S. Ancu⁵², N. Andari¹⁴², T. Andeen¹¹, C.F. Anders^{59b}, J.K. Anders²⁰, K.J. Anderson³⁶, A. Andreazza^{66a,66b}, V. Andrei^{59a}, C.R. Anelli¹⁷³, S. Angelidakis³⁷, I. Angelozzi¹¹⁸, A. Angerami³⁸, A.V. Anisenkov^{120b,120a}, A. Annovi^{69a}, C. Antel^{59a}, M.T. Anthony¹⁴⁶, M. Antonelli⁴⁹, D.J.A. Antrim¹⁶⁸, F. Anulli^{70a}, M. Aoki⁷⁹, J.A. Aparisi Pozo¹⁷¹, L. Aperio Bella³⁵, G. Arabidze¹⁰⁴, J.P. Araque^{136a}, V. Araujo Ferraz^{78b}, R. Araujo Pereira^{78b}, A.T.H. Arce⁴⁷, R.E. Ardell⁹¹, F.A. Arduh⁸⁶, J-F. Arguin¹⁰⁷, S. Argyropoulos⁷⁵, A.J. Armbruster³⁵, L.J. Armitage⁹⁰, A. Armstrong¹⁶⁸, O. Arnaez¹⁶⁴, H. Arnold¹¹⁸, M. Arratia³¹, O. Arslan²⁴, A. Artamonov^{109,*}, G. Artoni¹³¹, S. Artz⁹⁷, S. Asai¹⁶⁰, N. Asbah⁵⁷, E.M. Asimakopoulou¹⁶⁹,

L. Asquith ¹⁵³, K. Assamagan ²⁹, R. Astalos ^{28a}, R.J. Atkin ^{32a}, M. Atkinson ¹⁷⁰, N.B. Atlay ¹⁴⁸, K. Augsten ¹³⁸, G. Avolio ³⁵, R. Avramidou ^{58a}, M.K. Ayoub ^{15a}, G. Azuelos ^{107.ar}, A.E. Baas ^{59a}, M.J. Baca ²¹, H. Bachacou ¹⁴², K. Bachas ^{65a,65b}, M. Backes ¹³¹, P. Bagnaia ^{70a,70b}, M. Bahmani ⁸², H. Bahrasemani ¹⁴⁹, A.J. Bailey ¹⁷¹, J.T. Baines ¹⁴¹, M. Bajic ³⁹, C. Bakalis ¹⁰, O.K. Baker ¹⁸⁰, P.J. Bakker ¹¹⁸, D. Bakshi Gupta ⁹³, S. Balaji ¹⁵⁴, E.M. Baldin ^{120b,120a}, P. Balek ¹⁷⁷, F. Balli ¹⁴², W.K. Balunas ¹³³, J. Balz ⁹⁷, E. Banas ⁸², A. Bandyopadhyay ²⁴, S. Banerjee ^{178.j}, A.A.E. Bannoura ¹⁷⁹, L. Barak ¹⁵⁸, W.M. Barbe ³⁷, E.L. Barberio ¹⁰², D. Barberis ^{53b,53a}, M. Barbero ⁹⁹, T. Barillari ¹¹³, M.-S. Barisits ³⁵, J. Barkeloo ¹²⁷, T. Barklow ¹⁵⁰, R. Barnea ¹⁵⁷, S.L. Barnes ^{58c}, B.M. Barnett ¹⁴¹, R.M. Barnett ¹⁸, Z. Barnovska-Blenessy ^{58a}, A. Baroncelli ^{72a}, G. Barone ²⁶, A.J. Barr ¹³¹, L. Barranco Navarro ¹⁷¹, F. Barreiro ⁹⁶, J. Barreiro Guimarães da Costa ^{15a}, R. Bartoldus ¹⁵⁰, A.E. Barton ⁸⁷, P. Bartos ^{28a}, A. Basalaeu ¹³⁴, A. Bassalat ¹²⁸, R.L. Bates ⁵⁵, S.J. Batista ¹⁶⁴, S. Batlamous ^{34e}, J.R. Batley ³¹, M. Battaglia ¹⁴³, M. Baucé ^{70a,70b}, F. Bauer ¹⁴², K.T. Bauer ¹⁶⁸, H.S. Bawa ^{150.l}, J.B. Beacham ¹²², T. Beau ¹³², P.H. Beauchemin ¹⁶⁷, P. Bechtel ²⁴, H.C. Beck ⁵¹, H.P. Beck ^{20,q}, K. Becker ⁵⁰, M. Becker ⁹⁷, C. Becot ⁴⁴, A. Beddall ^{12d}, A.J. Beddall ^{12a}, V.A. Bednyakov ⁷⁷, M. Bedognetti ¹¹⁸, C.P. Bee ¹⁵², T.A. Beermann ³⁵, M. Begalli ^{78b}, M. Begel ²⁹, A. Behera ¹⁵², J.K. Behr ⁴⁴, A.S. Bell ⁹², G. Bella ¹⁵⁸, L. Bellagamba ^{23b}, A. Bellerive ³³, M. Bellomo ¹⁵⁷, P. Bellos ⁹, K. Belotskiy ¹¹⁰, N.L. Belyaev ¹¹⁰, O. Benary ^{158.*}, D. Benchekroun ^{34a}, M. Bender ¹¹², N. Benekos ¹⁰, Y. Benhammou ¹⁵⁸, E. Benhar Nocchioli ¹⁸⁰, J. Benitez ⁷⁵, D.P. Benjamin ⁴⁷, M. Benoit ⁵², J.R. Bensinger ²⁶, S. Bentvelsen ¹¹⁸, L. Beresford ¹³¹, M. Beretta ⁴⁹, D. Berge ⁴⁴, E. Bergeaas Kuutmann ¹⁶⁹, N. Berger ⁵, L.J. Bergsten ²⁶, J. Beringer ¹⁸, S. Berlendis ⁷, N.R. Bernard ¹⁰⁰, G. Bernardi ¹³², C. Bernius ¹⁵⁰, F.U. Bernlochner ²⁴, T. Berry ⁹¹, P. Berta ⁹⁷, C. Bertella ^{15a}, G. Bertoli ^{43a,43b}, I.A. Bertram ⁸⁷, G.J. Besjes ³⁹, O. Bessidskaia Bylund ¹⁷⁹, M. Bessner ⁴⁴, N. Besson ¹⁴², A. Bethani ⁹⁸, S. Bethke ¹¹³, A. Betti ²⁴, A.J. Bevan ⁹⁰, J. Beyer ¹¹³, R.M. Bianchi ¹³⁵, O. Biebel ¹¹², D. Biedermann ¹⁹, R. Bielski ³⁵, K. Bierwagen ⁹⁷, N.V. Biesuz ^{69a,69b}, M. Biglietti ^{72a}, T.R.V. Billoud ¹⁰⁷, M. Bindi ⁵¹, A. Bingul ^{12d}, C. Bini ^{70a,70b}, S. Biondi ^{23b,23a}, M. Birman ¹⁷⁷, T. Bisanz ⁵¹, J.P. Biswal ¹⁵⁸, C. Bittrich ⁴⁶, D.M. Bjergaard ⁴⁷, J.E. Black ¹⁵⁰, K.M. Black ²⁵, T. Blazek ^{28a}, I. Bloch ⁴⁴, C. Blocker ²⁶, A. Blue ⁵⁵, U. Blumenschein ⁹⁰, Dr. Blunier ^{144a}, G.J. Bobbink ¹¹⁸, V.S. Bobrovnikov ^{120b,120a}, S.S. Bocchetta ⁹⁴, A. Bocci ⁴⁷, D. Boerner ¹⁷⁹, D. Bogavac ¹¹², A.G. Bogdanchikov ^{120b,120a}, C. Bohm ^{43a}, V. Boisvert ⁹¹, P. Bokač ^{169,51}, T. Bold ^{81a}, A.S. Boldyrev ¹¹¹, A.E. Bolz ^{59b}, M. Bomben ¹³², M. Bona ⁹⁰, J.S. Bonilla ¹²⁷, M. Boonekamp ¹⁴², A. Borisov ¹⁴⁰, G. Borissov ⁸⁷, J. Bortfeldt ³⁵, D. Bortoletto ¹³¹, V. Bortolotto ^{71a,71b}, D. Boscherini ^{23b}, M. Bosman ¹⁴, J.D. Bossio Sola ³⁰, K. Bouaouda ^{34a}, J. Boudreau ¹³⁵, E.V. Bouhova-Thacker ⁸⁷, D. Boumediene ³⁷, C. Bourdarios ¹²⁸, S.K. Boutle ⁵⁵, A. Boveia ¹²², J. Boyd ³⁵, D. Boye ^{32b}, I.R. Boyko ⁷⁷, A.J. Bozson ⁹¹, J. Bracinik ²¹, N. Brahimi ⁹⁹, A. Brandt ⁸, G. Brandt ¹⁷⁹, O. Brandt ^{59a}, F. Braren ⁴⁴, U. Bratzler ¹⁶¹, B. Brau ¹⁰⁰, J.E. Brau ¹²⁷, W.D. Breaden Madden ⁵⁵, K. Brendlinger ⁴⁴, L. Brenner ⁴⁴, R. Brenner ¹⁶⁹, S. Bressler ¹⁷⁷, B. Brickwedde ⁹⁷, D.L. Briglin ²¹, D. Britton ⁵⁵, D. Britzger ^{59b}, I. Brock ²⁴, R. Brock ¹⁰⁴, G. Brooijmans ³⁸, T. Brooks ⁹¹, W.K. Brooks ^{144b}, E. Brost ¹¹⁹, J.H. Broughton ²¹, P.A. Bruckman de Renstrom ⁸², D. Bruncko ^{28b}, A. Bruni ^{23b}, G. Bruni ^{23b}, L.S. Bruni ¹¹⁸, S. Bruno ^{71a,71b}, B.H. Brunt ³¹, M. Bruschi ^{23b}, N. Bruscino ¹³⁵, P. Bryant ³⁶, L. Bryngemark ⁴⁴, T. Buanes ¹⁷, Q. Buat ³⁵, P. Buchholz ¹⁴⁸, A.G. Buckley ⁵⁵, I.A. Budagov ⁷⁷, F. Buehrer ⁵⁰, M.K. Bugge ¹³⁰, O. Bulekov ¹¹⁰, D. Bullock ⁸, T.J. Burch ¹¹⁹, S. Burdin ⁸⁸, C.D. Burgard ¹¹⁸, A.M. Burger ⁵, B. Burghgrave ¹¹⁹, K. Burkhardt ⁸², S. Burke ¹⁴¹, I. Burmeister ⁴⁵, J.T.P. Burr ¹³¹, V. Büscher ⁹⁷, E. Buschmann ⁵¹, P. Bussey ⁵⁵, J.M. Butler ²⁵, C.M. Buttar ⁵⁵, J.M. Butterworth ⁹², P. Butti ³⁵, W. Buttinger ³⁵, A. Buzatu ¹⁵⁵, A.R. Buzykaev ^{120b,120a}, G. Cabras ^{23b,23a}, S. Cabrera Urbán ¹⁷¹, D. Caforio ¹³⁸, H. Cai ¹⁷⁰, V.M.M. Cairo ², O. Cakir ^{4a}, N. Calace ⁵², P. Calafiura ¹⁸, A. Calandri ⁹⁹, G. Calderini ¹³², P. Calfayan ⁶³, G. Callea ^{40b,40a}, L.P. Caloba ^{78b}, S. Calvente Lopez ⁹⁶, D. Calvet ³⁷, S. Calvet ³⁷, T.P. Calvet ¹⁵², M. Calvetti ^{69a,69b}, R. Camacho Toro ¹³², S. Camarda ³⁵, P. Camarri ^{71a,71b}, D. Cameron ¹³⁰, R. Caminal Armadans ¹⁰⁰, C. Camincher ³⁵, S. Campana ³⁵, M. Campanelli ⁹², A. Camplani ³⁹, A. Campoverde ¹⁴⁸, V. Canale ^{67a,67b}, M. Cano Bret ^{58c}, J. Cantero ¹²⁵, T. Cao ¹⁵⁸, Y. Cao ¹⁷⁰, M.D.M. Capeans Garrido ³⁵, I. Caprini ^{27b}, M. Caprini ^{27b}, M. Capua ^{40b,40a}, R.M. Carbone ³⁸, R. Cardarelli ^{71a}, F.C. Cardillo ¹⁴⁶, I. Carli ¹³⁹, T. Carli ³⁵, G. Carlino ^{67a}, B.T. Carlson ¹³⁵, L. Carminati ^{66a,66b}, R.M.D. Carney ^{43a,43b}, S. Caron ¹¹⁷, E. Carquin ^{144b}, S. Carrá ^{66a,66b}, G.D. Carrillo-Montoya ³⁵, D. Casadei ^{32b}, M.P. Casado ^{14.f}, A.F. Casha ¹⁶⁴, D.W. Casper ¹⁶⁸, R. Castelijn ¹¹⁸, F.L. Castillo ¹⁷¹, V. Castillo Gimenez ¹⁷¹, N.F. Castro ^{136a,136e}, A. Catinaccio ³⁵, J.R. Catmore ¹³⁰, A. Cattai ³⁵, J. Caudron ²⁴, V. Cavaliere ²⁹, E. Cavallaro ¹⁴, D. Cavalli ^{66a}, M. Cavalli-Sforza ¹⁴, V. Cavasinni ^{69a,69b}, E. Celebi ^{12b}, F. Ceradini ^{72a,72b},

L. Cerda Alberich ¹⁷¹, A.S. Cerqueira ^{78a}, A. Cerri ¹⁵³, L. Cerrito ^{71a,71b}, F. Cerutti ¹⁸, A. Cervelli ^{23b,23a}, S.A. Cetin ^{12b}, A. Chafaq ^{34a}, D. Chakraborty ¹¹⁹, S.K. Chan ⁵⁷, W.S. Chan ¹¹⁸, Y.L. Chan ^{61a}, J.D. Chapman ³¹, B. Chargeishvili ^{156b}, D.G. Charlton ²¹, C.C. Chau ³³, C.A. Chavez Barajas ¹⁵³, S. Che ¹²², A. Chegwidan ¹⁰⁴, S. Chekanov ⁶, S.V. Chekulaev ^{165a}, G.A. Chelkov ^{77.aq}, M.A. Chelstowska ³⁵, C. Chen ^{58a}, C.H. Chen ⁷⁶, H. Chen ²⁹, J. Chen ^{58a}, J. Chen ³⁸, S. Chen ¹³³, S.J. Chen ^{15c}, X. Chen ^{15b.ap}, Y. Chen ⁸⁰, Y.-H. Chen ⁴⁴, H.C. Cheng ¹⁰³, H.J. Cheng ^{15d}, A. Cheplakov ⁷⁷, E. Cheremushkina ¹⁴⁰, R. Cherkaoui El Moursli ^{34e}, E. Cheu ⁷, K. Cheung ⁶², L. Chevalier ¹⁴², V. Chiarella ⁴⁹, G. Chiarelli ^{69a}, G. Chiodini ^{65a}, A.S. Chisholm ^{35,21}, A. Chitan ^{27b}, I. Chiu ¹⁶⁰, Y.H. Chiu ¹⁷³, M.V. Chizhov ⁷⁷, K. Choi ⁶³, A.R. Chomont ¹²⁸, S. Chouridou ¹⁵⁹, Y.S. Chow ¹¹⁸, V. Christodoulou ⁹², M.C. Chu ^{61a}, J. Chudoba ¹³⁷, A.J. Chuinard ¹⁰¹, J.J. Chwastowski ⁸², L. Chytka ¹²⁶, D. Cinca ⁴⁵, V. Cindro ⁸⁹, I.A. Cioarã ²⁴, A. Ciocio ¹⁸, F. Ciotto ^{67a,67b}, Z.H. Citron ¹⁷⁷, M. Citterio ^{66a}, A. Clark ⁵², M.R. Clark ³⁸, P.J. Clark ⁴⁸, C. Clement ^{43a,43b}, Y. Coadou ⁹⁹, M. Cobal ^{64a,64c}, A. Coccaro ^{53b,53a}, J. Cochran ⁷⁶, H. Cohen ¹⁵⁸, A.E.C. Coimbra ¹⁷⁷, L. Colasurdo ¹¹⁷, B. Cole ³⁸, A.P. Colijn ¹¹⁸, J. Collot ⁵⁶, P. Conde Muñoz ^{136a,136b}, E. Coniavitis ⁵⁰, S.H. Connell ^{32b}, I.A. Connelly ⁹⁸, S. Constantinescu ^{27b}, F. Conventi ^{67a.as}, A.M. Cooper-Sarkar ¹³¹, F. Cormier ¹⁷², K.J.R. Cormier ¹⁶⁴, L.D. Corpe ⁹², M. Corradi ^{70a,70b}, E.E. Corrigan ⁹⁴, F. Corriveau ^{101.ac}, A. Cortes-Gonzalez ³⁵, M.J. Costa ¹⁷¹, F. Costanza ⁵, D. Costanzo ¹⁴⁶, G. Cottin ³¹, G. Cowan ⁹¹, B.E. Cox ⁹⁸, J. Crane ⁹⁸, K. Cranmer ¹²¹, S.J. Crawley ⁵⁵, R.A. Creager ¹³³, G. Cree ³³, S. Crépé-Renaudin ⁵⁶, F. Crescioli ¹³², M. Cristinziani ²⁴, V. Croft ¹²¹, G. Crosetti ^{40b,40a}, A. Cueto ⁹⁶, T. Cuhadar Donszelmann ¹⁴⁶, A.R. Cukierman ¹⁵⁰, S. Czekierda ⁸², P. Czodrowski ³⁵, M.J. Da Cunha Sargedas De Sousa ^{58b,136b}, C. Da Via ⁹⁸, W. Dabrowski ^{81a}, T. Dado ^{28a.x}, S. Dahbi ^{34e}, T. Dai ¹⁰³, F. Dallaire ¹⁰⁷, C. Dallapiccola ¹⁰⁰, M. Dam ³⁹, G. D'amen ^{23b,23a}, J. Damp ⁹⁷, J.R. Dandoy ¹³³, M.F. Daneri ³⁰, N.P. Dang ^{178.j}, N.D. Dann ⁹⁸, M. Danninger ¹⁷², V. Dao ³⁵, G. Darbo ^{53b}, S. Darmora ⁸, O. Dartsis ⁵, A. Dattagupta ¹²⁷, T. Daubney ⁴⁴, S. D'Auria ⁵⁵, W. Davey ²⁴, C. David ⁴⁴, T. Davidek ¹³⁹, D.R. Davis ⁴⁷, E. Dawe ¹⁰², I. Dawson ¹⁴⁶, K. De ⁸, R. De Asmundis ^{67a}, A. De Benedetti ¹²⁴, M. De Beurs ¹¹⁸, S. De Castro ^{23b,23a}, S. De Cecco ^{70a,70b}, N. De Groot ¹¹⁷, P. de Jong ¹¹⁸, H. De la Torre ¹⁰⁴, F. De Lorenzi ⁷⁶, A. De Maria ^{51.s}, D. De Pedis ^{70a}, A. De Salvo ^{70a}, U. De Sanctis ^{71a,71b}, M. De Santis ^{71a,71b}, A. De Santo ¹⁵³, K. De Vasconcelos Corga ⁹⁹, J.B. De Vivie De Regie ¹²⁸, C. Debenedetti ¹⁴³, D.V. Dedovich ⁷⁷, N. Dehghanian ³, M. Del Gaudio ^{40b,40a}, J. Del Peso ⁹⁶, Y. Delabat Diaz ⁴⁴, D. Delgove ¹²⁸, F. Deliot ¹⁴², C.M. Delitzsch ⁷, M. Della Pietra ^{67a,67b}, D. Della Volpe ⁵², A. Dell'Acqua ³⁵, L. Dell'Asta ²⁵, M. Delmastro ⁵, C. Delporte ¹²⁸, P.A. Delsart ⁵⁶, D.A. DeMarco ¹⁶⁴, S. Demers ¹⁸⁰, M. Demichev ⁷⁷, S.P. Denisov ¹⁴⁰, D. Denysiuk ¹¹⁸, L. D'Eramo ¹³², D. Derendarz ⁸², J.E. Derkaoui ^{34d}, F. Derue ¹³², P. Dervan ⁸⁸, K. Desch ²⁴, C. Deterre ⁴⁴, K. Dette ¹⁶⁴, M.R. Devesa ³⁰, P.O. Deviveiros ³⁵, A. Dewhurst ¹⁴¹, S. Dhaliwal ²⁶, F.A. Di Bello ⁵², A. Di Ciaccio ^{71a,71b}, L. Di Ciaccio ⁵, W.K. Di Clemente ¹³³, C. Di Donato ^{67a,67b}, A. Di Girolamo ³⁵, G. Di Gregorio ^{69a,69b}, B. Di Micco ^{72a,72b}, R. Di Nardo ¹⁰⁰, K.F. Di Petrillo ⁵⁷, R. Di Sipio ¹⁶⁴, D. Di Valentino ³³, C. Diaconu ⁹⁹, M. Diamond ¹⁶⁴, F.A. Dias ³⁹, T. Dias Do Vale ^{136a}, M.A. Diaz ^{144a}, J. Dickinson ¹⁸, E.B. Diehl ¹⁰³, J. Dietrich ¹⁹, S. Díez Cornell ⁴⁴, A. Dimitrievska ¹⁸, J. Dingfelder ²⁴, F. Dittus ³⁵, F. Djama ⁹⁹, T. Djobava ^{156b}, J.I. Djuvsland ^{59a}, M.A.B. Do Vale ^{78c}, M. Dobre ^{27b}, D. Dodsworth ²⁶, C. Doglioni ⁹⁴, J. Dolejsi ¹³⁹, Z. Dolezal ¹³⁹, M. Donadelli ^{78d}, J. Donini ³⁷, A. D'Onofrio ⁹⁰, M. D'Onofrio ⁸⁸, J. Dopke ¹⁴¹, A. Doria ^{67a}, M.T. Dova ⁸⁶, A.T. Doyle ⁵⁵, E. Drechsler ⁵¹, E. Dreyer ¹⁴⁹, T. Dreyer ⁵¹, Y. Du ^{58b}, F. Dubinin ¹⁰⁸, M. Dubovsky ^{28a}, A. Dubreuil ⁵², E. Duchovni ¹⁷⁷, G. Duckeck ¹¹², A. Ducourthial ¹³², O.A. Ducu ^{107.w}, D. Duda ¹¹³, A. Dudarev ³⁵, A.C. Dudder ⁹⁷, E.M. Duffield ¹⁸, L. Duflot ¹²⁸, M. Dührssen ³⁵, C. Dülsen ¹⁷⁹, M. Dumancic ¹⁷⁷, A.E. Dumitriu ^{27b.d}, A.K. Duncan ⁵⁵, M. Dunford ^{59a}, A. Duperrin ⁹⁹, H. Duran Yildiz ^{4a}, M. Düren ⁵⁴, A. Durglishvili ^{156b}, D. Duschinger ⁴⁶, B. Dutta ⁴⁴, D. Duvnjak ¹, M. Dyndal ⁴⁴, S. Dysch ⁹⁸, B.S. Dzedzic ⁸², C. Eckardt ⁴⁴, K.M. Ecker ¹¹³, R.C. Edgar ¹⁰³, T. Eifert ³⁵, G. Eigen ¹⁷, K. Einsweiler ¹⁸, T. Ekelof ¹⁶⁹, M. El Kacimi ^{34c}, R. El Kosseifi ⁹⁹, V. Ellajosyula ⁹⁹, M. Ellert ¹⁶⁹, F. Ellinghaus ¹⁷⁹, A.A. Elliot ⁹⁰, N. Ellis ³⁵, J. Elmsheuser ²⁹, M. Elsing ³⁵, D. Emelianov ¹⁴¹, Y. Enari ¹⁶⁰, J.S. Ennis ¹⁷⁵, M.B. Epland ⁴⁷, J. Erdmann ⁴⁵, A. Ereditato ²⁰, S. Errede ¹⁷⁰, M. Escalier ¹²⁸, C. Escobar ¹⁷¹, O. Estrada Pastor ¹⁷¹, A.I. Etienne ¹⁴², E. Etzion ¹⁵⁸, H. Evans ⁶³, A. Ezhilov ¹³⁴, M. Ezzi ^{34e}, F. Fabbri ⁵⁵, L. Fabbri ^{23b,23a}, V. Fabiani ¹¹⁷, G. Facini ⁹², R.M. Faisca Rodrigues Pereira ^{136a}, R.M. Fakhruddinov ¹⁴⁰, S. Falciano ^{70a}, P.J. Falke ⁵, S. Falke ⁵, J. Faltova ¹³⁹, Y. Fang ^{15a}, M. Fanti ^{66a,66b}, A. Farbin ⁸, A. Farilla ^{72a}, E.M. Farina ^{68a,68b}, T. Farooque ¹⁰⁴, S. Farrell ¹⁸, S.M. Farrington ¹⁷⁵, P. Farthouat ³⁵, F. Fassi ^{34e}, P. Fassnacht ³⁵, D. Fassouliotis ⁹, M. Fauci Giannelli ⁴⁸, A. Favareto ^{53b,53a}, W.J. Fawcett ³¹, L. Fayard ¹²⁸,

O.L. Fedin ^{134,o}, W. Fedorko ¹⁷², M. Feickert ⁴¹, S. Feigl ¹³⁰, L. Feligioni ⁹⁹, C. Feng ^{58b}, E.J. Feng ³⁵, M. Feng ⁴⁷, M.J. Fenton ⁵⁵, A.B. Fenyuk ¹⁴⁰, L. Feremenga ⁸, J. Ferrando ⁴⁴, A. Ferrari ¹⁶⁹, P. Ferrari ¹¹⁸, R. Ferrari ^{68a}, D.E. Ferreira de Lima ^{59b}, A. Ferrer ¹⁷¹, D. Ferrere ⁵², C. Ferretti ¹⁰³, F. Fiedler ⁹⁷, A. Filipčič ⁸⁹, F. Filthaut ¹¹⁷, K.D. Finelli ²⁵, M.C.N. Fiolhais ^{136a,136c,a}, L. Fiorini ¹⁷¹, C. Fischer ¹⁴, W.C. Fisher ¹⁰⁴, N. Flaschel ⁴⁴, I. Fleck ¹⁴⁸, P. Fleischmann ¹⁰³, R.R.M. Fletcher ¹³³, T. Flick ¹⁷⁹, B.M. Flierl ¹¹², L.M. Flores ¹³³, L.R. Flores Castillo ^{61a}, F.M. Follega ^{73a,73b}, N. Fomin ¹⁷, G.T. Forcolin ^{73a,73b}, A. Formica ¹⁴², F.A. Förster ¹⁴, A.C. Forti ⁹⁸, A.G. Foster ²¹, D. Fournier ¹²⁸, H. Fox ⁸⁷, S. Fracchia ¹⁴⁶, P. Francavilla ^{69a,69b}, M. Franchini ^{23b,23a}, S. Franchino ^{59a}, D. Francis ³⁵, L. Franconi ¹⁴³, M. Franklin ⁵⁷, M. Frate ¹⁶⁸, M. Fraternali ^{68a,68b}, A.N. Fray ⁹⁰, D. Freeborn ⁹², S.M. Fressard-Batraneanu ³⁵, B. Freund ¹⁰⁷, W.S. Freund ^{78b}, E.M. Freundlich ⁴⁵, D.C. Frizzell ¹²⁴, D. Froidevaux ³⁵, J.A. Frost ¹³¹, C. Fukunaga ¹⁶¹, E. Fullana Torregrosa ¹⁷¹, T. Fusayasu ¹¹⁴, J. Fuster ¹⁷¹, O. Gabizon ¹⁵⁷, A. Gabrielli ^{23b,23a}, A. Gabrielli ¹⁸, G.P. Gach ^{81a}, S. Gadatsch ⁵², P. Gadow ¹¹³, G. Gagliardi ^{53b,53a}, L.G. Gagnon ¹⁰⁷, C. Galea ^{27b}, B. Galhardo ^{136a,136c}, E.J. Gallas ¹³¹, B.J. Gallop ¹⁴¹, P. Gallus ¹³⁸, G. Galster ³⁹, R. Gamboa Goni ⁹⁰, K.K. Gan ¹²², S. Ganguly ¹⁷⁷, J. Gao ^{58a}, Y. Gao ⁸⁸, Y.S. Gao ^{150,l}, C. García ¹⁷¹, J.E. García Navarro ¹⁷¹, J.A. García Pascual ^{15a}, M. Garcia-Sciveres ¹⁸, R.W. Gardner ³⁶, N. Garelli ¹⁵⁰, V. Garonne ¹³⁰, K. Gasnikova ⁴⁴, A. Gaudiello ^{53b,53a}, G. Gaudio ^{68a}, I.L. Gavrilenko ¹⁰⁸, A. Gavrilyuk ¹⁰⁹, C. Gay ¹⁷², G. Gaycken ²⁴, E.N. Gazis ¹⁰, C.N.P. Gee ¹⁴¹, J. Geisen ⁵¹, M. Geisen ⁹⁷, M.P. Geisler ^{59a}, K. Gellerstedt ^{43a,43b}, C. Gemme ^{53b}, M.H. Genest ⁵⁶, C. Geng ¹⁰³, S. Gentile ^{70a,70b}, S. George ⁹¹, D. Gerbaudo ¹⁴, G. Gessner ⁴⁵, S. Ghasemi ¹⁴⁸, M. Ghasemi Bostanabad ¹⁷³, M. Ghneimat ²⁴, B. Giacobbe ^{23b}, S. Giagu ^{70a,70b}, N. Giangiacomi ^{23b,23a}, P. Giannetti ^{69a}, A. Giannini ^{67a,67b}, S.M. Gibson ⁹¹, M. Gignac ¹⁴³, D. Gillberg ³³, G. Gilles ¹⁷⁹, D.M. Gingrich ^{3,ar}, M.P. Giordani ^{64a,64c}, F.M. Giorgi ^{23b}, P.F. Giraud ¹⁴², P. Giromini ⁵⁷, G. Giugliarelli ^{64a,64c}, D. Giugni ^{66a}, F. Giuli ¹³¹, M. Giulini ^{59b}, S. Gkaitatzis ¹⁵⁹, I. Gkialas ^{9,i}, E.L. Gkougkousis ¹⁴, P. Gkoutoumis ¹⁰, L.K. Gladilin ¹¹¹, C. Glasman ⁹⁶, J. Glatzer ¹⁴, P.C.F. Glaysheer ⁴⁴, A. Glazov ⁴⁴, M. Goblirsch-Kolb ²⁶, J. Godlewski ⁸², S. Goldfarb ¹⁰², T. Golling ⁵², D. Golubkov ¹⁴⁰, A. Gomes ^{136a,136b,136d}, R. Goncalves Gama ^{78a}, R. Gonçalves ^{136a}, G. Gonella ⁵⁰, L. Gonella ²¹, A. Gongadze ⁷⁷, F. Gonnella ²¹, J.L. Gonski ⁵⁷, S. González de la Hoz ¹⁷¹, S. Gonzalez-Sevilla ⁵², L. Goossens ³⁵, P.A. Gorbounov ¹⁰⁹, H.A. Gordon ²⁹, B. Gorini ³⁵, E. Gorini ^{65a,65b}, A. Gorišek ⁸⁹, A.T. Goshaw ⁴⁷, C. Gössling ⁴⁵, M.I. Gostkin ⁷⁷, C.A. Gottardo ²⁴, C.R. Goudet ¹²⁸, D. Goujdami ^{34c}, A.G. Goussiou ¹⁴⁵, N. Govender ^{32b,b}, C. Goy ⁵, E. Gozani ¹⁵⁷, I. Grabowska-Bold ^{81a}, P.O.J. Gradin ¹⁶⁹, E.C. Graham ⁸⁸, J. Gramling ¹⁶⁸, E. Gramstad ¹³⁰, S. Grancagnolo ¹⁹, V. Gratchev ¹³⁴, P.M. Gravila ^{27f}, F.G. Gravili ^{65a,65b}, C. Gray ⁵⁵, H.M. Gray ¹⁸, Z.D. Greenwood ^{93,ai}, C. Grefe ²⁴, K. Gregersen ⁹⁴, I.M. Gregor ⁴⁴, P. Grenier ¹⁵⁰, K. Grevtsov ⁴⁴, N.A. Grieser ¹²⁴, J. Griffiths ⁸, A.A. Grillo ¹⁴³, K. Grimm ¹⁵⁰, S. Grinstein ^{14,y}, Ph. Gris ³⁷, J.-F. Grivaz ¹²⁸, S. Groh ⁹⁷, E. Gross ¹⁷⁷, J. Grosse-Knetter ⁵¹, G.C. Grossi ⁹³, Z.J. Grout ⁹², C. Grud ¹⁰³, A. Grummer ¹¹⁶, L. Guan ¹⁰³, W. Guan ¹⁷⁸, J. Guenther ³⁵, A. Guerguichon ¹²⁸, F. Guescini ^{165a}, D. Guest ¹⁶⁸, R. Gugel ⁵⁰, B. Gui ¹²², T. Guillemin ⁵, S. Guindon ³⁵, U. Gul ⁵⁵, C. Gumpert ³⁵, J. Guo ^{58c}, W. Guo ¹⁰³, Y. Guo ^{58a,r}, Z. Guo ⁹⁹, R. Gupta ⁴¹, S. Gurbuz ^{12c}, G. Gustavino ¹²⁴, B.J. Gutelman ¹⁵⁷, P. Gutierrez ¹²⁴, C. Gutsche ⁹², C. Guyot ¹⁴², M.P. Guzik ^{81a}, C. Gwenlan ¹³¹, C.B. Gwilliam ⁸⁸, A. Haas ¹²¹, C. Haber ¹⁸, H.K. Hadavand ⁸, N. Haddad ^{34e}, A. Hadeef ^{58a}, S. Hageböck ²⁴, M. Hagihara ¹⁶⁶, H. Hakobyan ^{181,*}, M. Haleem ¹⁷⁴, J. Haley ¹²⁵, G. Halladjian ¹⁰⁴, G.D. Hallewell ⁹⁹, K. Hamacher ¹⁷⁹, P. Hamal ¹²⁶, K. Hamano ¹⁷³, A. Hamilton ^{32a}, G.N. Hamity ¹⁴⁶, K. Han ^{58a,ah}, L. Han ^{58a}, S. Han ^{15d}, K. Hanagaki ^{79,u}, M. Hance ¹⁴³, D.M. Handl ¹¹², B. Haney ¹³³, R. Hankache ¹³², P. Hanke ^{59a}, E. Hansen ⁹⁴, J.B. Hansen ³⁹, J.D. Hansen ³⁹, M.C. Hansen ²⁴, P.H. Hansen ³⁹, K. Hara ¹⁶⁶, A.S. Hard ¹⁷⁸, T. Harenberg ¹⁷⁹, S. Harkusha ¹⁰⁵, P.F. Harrison ¹⁷⁵, N.M. Hartmann ¹¹², Y. Hasegawa ¹⁴⁷, A. Hasib ⁴⁸, S. Hassani ¹⁴², S. Haug ²⁰, R. Hauser ¹⁰⁴, L. Hauswald ⁴⁶, L.B. Havener ³⁸, M. Havranek ¹³⁸, C.M. Hawkes ²¹, R.J. Hawking ³⁵, D. Hayden ¹⁰⁴, C. Hayes ¹⁵², C.P. Hays ¹³¹, J.M. Hays ⁹⁰, H.S. Hayward ⁸⁸, S.J. Haywood ¹⁴¹, M.P. Heath ⁴⁸, V. Hedberg ⁹⁴, L. Heelan ⁸, S. Heer ²⁴, K.K. Heidegger ⁵⁰, J. Heilman ³³, S. Heim ⁴⁴, T. Heim ¹⁸, B. Heinemann ^{44,am}, J.J. Heinrich ¹¹², L. Heinrich ¹²¹, C. Heinz ⁵⁴, J. Hejbal ¹³⁷, L. Helary ³⁵, A. Held ¹⁷², S. Hellesund ¹³⁰, S. Hellman ^{43a,43b}, C. Helsens ³⁵, R.C.W. Henderson ⁸⁷, Y. Heng ¹⁷⁸, S. Henkelmann ¹⁷², A.M. Henriques Correia ³⁵, G.H. Herbert ¹⁹, H. Herde ²⁶, V. Herget ¹⁷⁴, Y. Hernández Jiménez ^{32c}, H. Herr ⁹⁷, M.G. Herrmann ¹¹², G. Herten ⁵⁰, R. Hertenberger ¹¹², L. Hervas ³⁵, T.C. Herwig ¹³³, G.G. Hesketh ⁹², N.P. Hessey ^{165a}, J.W. Hetherly ⁴¹, S. Higashino ⁷⁹, E. Higón-Rodríguez ¹⁷¹, K. Hildebrand ³⁶, E. Hill ¹⁷³, J.C. Hill ³¹, K.K. Hill ²⁹, K.H. Hiller ⁴⁴, S.J. Hillier ²¹, M. Hils ⁴⁶, I. Hinchliffe ¹⁸,

M. Hirose¹²⁹, D. Hirschbuehl¹⁷⁹, B. Hiti⁸⁹, O. Hladik¹³⁷, D.R. Hlaluku^{32c}, X. Hoad⁴⁸, J. Hobbs¹⁵²,
 N. Hod^{165a}, M.C. Hodgkinson¹⁴⁶, A. Hoecker³⁵, M.R. Hoferkamp¹¹⁶, F. Hoenic¹¹², D. Hohn²⁴,
 D. Hohov¹²⁸, T.R. Holmes³⁶, M. Holzbock¹¹², M. Homann⁴⁵, S. Honda¹⁶⁶, T. Honda⁷⁹, T.M. Hong¹³⁵,
 A. Hönle¹¹³, B.H. Hooberman¹⁷⁰, W.H. Hopkins¹²⁷, Y. Horii¹¹⁵, P. Horn⁴⁶, A.J. Horton¹⁴⁹, L.A. Horyn³⁶,
 J.-Y. Hostachy⁵⁶, A. Hostiuc¹⁴⁵, S. Hou¹⁵⁵, A. Hoummada^{34a}, J. Howarth⁹⁸, J. Hoya⁸⁶, M. Hrabovsky¹²⁶,
 I. Hristova¹⁹, J. Hrivnac¹²⁸, A. Hrynevich¹⁰⁶, T. Hryn'ova⁵, P.J. Hsu⁶², S.-C. Hsu¹⁴⁵, Q. Hu²⁹, S. Hu^{58c},
 Y. Huang^{15a}, Z. Hubacek¹³⁸, F. Hubaut⁹⁹, M. Huebner²⁴, F. Huegging²⁴, T.B. Huffman¹³¹,
 E.W. Hughes³⁸, M. Huhtinen³⁵, R.F.H. Hunter³³, P. Huo¹⁵², A.M. Hupe³³, N. Huseynov^{77,ae},
 J. Huston¹⁰⁴, J. Huth⁵⁷, R. Hyneman¹⁰³, G. Iacobucci⁵², G. Iakovidis²⁹, I. Ibragimov¹⁴⁸,
 L. Iconomidou-Fayard¹²⁸, Z. Idrissi^{34e}, P. Iengo³⁵, R. Ignazzi³⁹, O. Igonkina^{118,aa}, R. Iguchi¹⁶⁰,
 T. Iizawa⁵², Y. Ikegami⁷⁹, M. Ikeno⁷⁹, D. Iliadis¹⁵⁹, N. Ilic¹⁵⁰, F. Iltzsche⁴⁶, G. Introzzi^{68a,68b},
 M. Iodice^{72a}, K. Iordanidou³⁸, V. Ippolito^{70a,70b}, M.F. Isacson¹⁶⁹, N. Ishijima¹²⁹, M. Ishino¹⁶⁰,
 M. Ishitsuka¹⁶², W. Islam¹²⁵, C. Issever¹³¹, S. Istin¹⁵⁷, F. Ito¹⁶⁶, J.M. Iturbe Ponce^{61a}, R. Iuppa^{73a,73b},
 A. Ivina¹⁷⁷, H. Iwasaki⁷⁹, J.M. Izen⁴², V. Izzo^{67a}, P. Jacka¹³⁷, P. Jackson¹, R.M. Jacobs²⁴, V. Jain²,
 G. Jäkel¹⁷⁹, K.B. Jakobi⁹⁷, K. Jakobs⁵⁰, S. Jakobsen⁷⁴, T. Jakoubek¹³⁷, D.O. Jamin¹²⁵, D.K. Jana⁹³,
 R. Jansky⁵², J. Janssen²⁴, M. Janus⁵¹, P.A. Janus^{81a}, G. Jarlskog⁹⁴, N. Javadov^{77,ae}, T. Javůrek³⁵,
 M. Javurkova⁵⁰, F. Jeanneau¹⁴², L. Jeanty¹⁸, J. Jejelava^{156a,af}, A. Jelinskas¹⁷⁵, P. Jenni^{50,c}, J. Jeong⁴⁴,
 N. Jeong⁴⁴, S. Jézéquel⁵, H. Ji¹⁷⁸, J. Jia¹⁵², H. Jiang⁷⁶, Y. Jiang^{58a}, Z. Jiang^{150,p}, S. Jiggins⁵⁰,
 F.A. Jimenez Morales³⁷, J. Jimenez Pena¹⁷¹, S. Jin^{15c}, A. Jinaru^{27b}, O. Jinnouchi¹⁶², H. Jivan^{32c},
 P. Johansson¹⁴⁶, K.A. Johns⁷, C.A. Johnson⁶³, W.J. Johnson¹⁴⁵, K. Jon-And^{43a,43b}, R.W.L. Jones⁸⁷,
 S.D. Jones¹⁵³, S. Jones⁷, T.J. Jones⁸⁸, J. Jongmanns^{59a}, P.M. Jorge^{136a,136b}, J. Jovicevic^{165a}, X. Ju¹⁸,
 J.J. Junggeburth¹¹³, A. Juste Rozas^{14,y}, A. Kaczmarska⁸², M. Kado¹²⁸, H. Kagan¹²², M. Kagan¹⁵⁰,
 T. Kaji¹⁷⁶, E. Kajomovitz¹⁵⁷, C.W. Kalderon⁹⁴, A. Kaluza⁹⁷, S. Kama⁴¹, A. Kamenshchikov¹⁴⁰, L. Kanjir⁸⁹,
 Y. Kano¹⁶⁰, V.A. Kantserov¹¹⁰, J. Kanzaki⁷⁹, B. Kaplan¹²¹, L.S. Kaplan¹⁷⁸, D. Kar^{32c}, M.J. Kareem^{165b},
 E. Karentzos¹⁰, S.N. Karpov⁷⁷, Z.M. Karpova⁷⁷, V. Kartvelishvili⁸⁷, A.N. Karyukhin¹⁴⁰, L. Kashif¹⁷⁸,
 R.D. Kass¹²², A. Kastanas^{43a,43b}, Y. Kataoka¹⁶⁰, C. Kato^{58d,58c}, J. Katzy⁴⁴, K. Kawade⁸⁰, K. Kawagoe⁸⁵,
 T. Kawamoto¹⁶⁰, G. Kawamura⁵¹, E.F. Kay⁸⁸, V.F. Kazanin^{120b,120a}, R. Keeler¹⁷³, R. Kehoe⁴¹, J.S. Keller³³,
 E. Kellermann⁹⁴, J.J. Kempster²¹, J. Kendrick²¹, O. Kepka¹³⁷, S. Kersten¹⁷⁹, B.P. Kerševan⁸⁹,
 R.A. Keyes¹⁰¹, M. Khader¹⁷⁰, F. Khalil-Zada¹³, A. Khanov¹²⁵, A.G. Kharlamov^{120b,120a},
 T. Kharlamova^{120b,120a}, E.E. Khoda¹⁷², A. Khodinov¹⁶³, T.J. Khoo⁵², E. Khramov⁷⁷, J. Khubua^{156b},
 S. Kido⁸⁰, M. Kiehn⁵², C.R. Kilby⁹¹, Y.K. Kim³⁶, N. Kimura^{64a,64c}, O.M. Kind¹⁹, B.T. King⁸⁸,
 D. Kirchmeier⁴⁶, J. Kirk¹⁴¹, A.E. Kiryunin¹¹³, T. Kishimoto¹⁶⁰, D. Kisielewska^{81a}, V. Kitali⁴⁴,
 O. Kivernyk⁵, E. Kladiva^{28b,*}, T. Klapdor-Kleingrothaus⁵⁰, M.H. Klein¹⁰³, M. Klein⁸⁸, U. Klein⁸⁸,
 K. Kleinknecht⁹⁷, P. Klimek¹¹⁹, A. Klimentov²⁹, R. Klingenberg^{45,*}, T. Klingl²⁴, T. Klioutchnikova³⁵,
 F.F. Klitzner¹¹², P. Kluit¹¹⁸, S. Kluth¹¹³, E. Kneringer⁷⁴, E.B.F.G. Knoops⁹⁹, A. Knue⁵⁰, A. Kobayashi¹⁶⁰,
 D. Kobayashi⁸⁵, T. Kobayashi¹⁶⁰, M. Kobel⁴⁶, M. Kocian¹⁵⁰, P. Kodys¹³⁹, P.T. Koenig²⁴, T. Koffas³³,
 E. Koffeman¹¹⁸, N.M. Köhler¹¹³, T. Koi¹⁵⁰, M. Kolb^{59b}, I. Koletsou⁵, T. Kondo⁷⁹, N. Kondrashova^{58c},
 K. Köneke⁵⁰, A.C. König¹¹⁷, T. Kono⁷⁹, R. Konoplich^{121,aj}, V. Konstantinides⁹², N. Konstantinidis⁹²,
 B. Konya⁹⁴, R. Kopeliansky⁶³, S. Koperny^{81a}, K. Korcyl⁸², K. Kordas¹⁵⁹, G. Koren¹⁵⁸, A. Korn⁹²,
 I. Korolkov¹⁴, E.V. Korolkova¹⁴⁶, N. Korotkova¹¹¹, O. Kortner¹¹³, S. Kortner¹¹³, T. Kosek¹³⁹,
 V.V. Kostyukhin²⁴, A. Kotwal⁴⁷, A. Koulouris¹⁰, A. Kourkoumeli-Charalampidi^{68a,68b}, C. Kourkoumelis⁹,
 E. Kourlitis¹⁴⁶, V. Kouskoura²⁹, A.B. Kowalewska⁸², R. Kowalewski¹⁷³, T.Z. Kowalski^{81a}, C. Kozakai¹⁶⁰,
 W. Kozanecki¹⁴², A.S. Kozhin¹⁴⁰, V.A. Kramarenko¹¹¹, G. Kramerberger⁸⁹, D. Krasnopevtsev^{58a},
 M.W. Krasny¹³², A. Krasznahorkay³⁵, D. Krauss¹¹³, J.A. Kremer^{81a}, J. Kretschmar⁸⁸, P. Krieger¹⁶⁴,
 K. Krizka¹⁸, K. Kroeninger⁴⁵, H. Kroha¹¹³, J. Kroll¹³⁷, J. Kroll¹³³, J. Krstic¹⁶, U. Kruchonak⁷⁷,
 H. Krüger²⁴, N. Krumnack⁷⁶, M.C. Kruse⁴⁷, T. Kubota¹⁰², S. Kудay^{4b}, J.T. Kuechler¹⁷⁹, S. Kuehn³⁵,
 A. Kugel^{59a}, F. Kuger¹⁷⁴, T. Kuhl⁴⁴, V. Kukhtin⁷⁷, R. Kukla⁹⁹, Y. Kulchitsky¹⁰⁵, S. Kuleshov^{144b},
 Y.P. Kulinich¹⁷⁰, M. Kuna⁵⁶, T. Kunigo⁸³, A. Kupco¹³⁷, T. Kupfer⁴⁵, O. Kuprash¹⁵⁸, H. Kurashige⁸⁰,
 L.L. Kurchaninov^{165a}, Y.A. Kurochkin¹⁰⁵, M.G. Kurth^{15d}, E.S. Kuwertz³⁵, M. Kuze¹⁶², J. Kvita¹²⁶,
 T. Kwan¹⁰¹, A. La Rosa¹¹³, J.L. La Rosa Navarro^{78d}, L. La Rotonda^{40b,40a}, F. La Ruffa^{40b,40a}, C. Lacasta¹⁷¹,
 F. Lacava^{70a,70b}, J. Lacey⁴⁴, D.P.J. Lack⁹⁸, H. Lacker¹⁹, D. Lacour¹³², E. Ladygin⁷⁷, R. Lafaye⁵,
 B. Laforge¹³², T. Lagouri^{32c}, S. Lai⁵¹, S. Lammers⁶³, W. Lampl⁷, E. Lançon²⁹, U. Landgraf⁵⁰,

M.P.J. Landon⁹⁰, M.C. Lanfermann⁵², V.S. Lang⁴⁴, J.C. Lange¹⁴, R.J. Langenberg³⁵, A.J. Lankford¹⁶⁸, F. Lanni²⁹, K. Lantzscht²⁴, A. Lanza^{68a}, A. Lapertosa^{53b,53a}, S. Laplace¹³², J.F. Laporte¹⁴², T. Lari^{66a}, F. Lasagni Manghi^{23b,23a}, M. Lassnig³⁵, T.S. Lau^{61a}, A. Laudrain¹²⁸, M. Lavorgna^{67a,67b}, A.T. Law¹⁴³, M. Lazzaroni^{66a,66b}, B. Le¹⁰², O. Le Dortz¹³², E. Le Guirriec⁹⁹, E.P. Le Quilleuc¹⁴², M. LeBlanc⁷, T. LeCompte⁶, F. Ledroit-Guillon⁵⁶, C.A. Lee²⁹, G.R. Lee^{144a}, L. Lee⁵⁷, S.C. Lee¹⁵⁵, B. Lefebvre¹⁰¹, M. Lefebvre¹⁷³, F. Legger¹¹², C. Leggett¹⁸, K. Lehmann¹⁴⁹, N. Lehmann¹⁷⁹, G. Lehmann Miotto³⁵, W.A. Leight⁴⁴, A. Leisos^{159,v}, M.A.L. Leite^{78d}, R. Leitner¹³⁹, D. Lellouch¹⁷⁷, B. Lemmer⁵¹, K.J.C. Leney⁹², T. Lenz²⁴, B. Lenzi³⁵, R. Leone⁷, S. Leone^{69a}, C. Leonidopoulos⁴⁸, G. Lerner¹⁵³, C. Leroy¹⁰⁷, R. Les¹⁶⁴, A.A.J. Lesage¹⁴², C.G. Lester³¹, M. Levchenko¹³⁴, J. Levêque⁵, D. Levin¹⁰³, L.J. Levinson¹⁷⁷, D. Lewis⁹⁰, B. Li¹⁰³, C.-Q. Li^{58a}, H. Li^{58b}, L. Li^{58c}, M. Li^{15a}, Q. Li^{15d}, Q.Y. Li^{58a}, S. Li^{58d,58c}, X. Li^{58c}, Y. Li¹⁴⁸, Z. Liang^{15a}, B. Liberti^{71a}, A. Liblong¹⁶⁴, K. Lie^{61c}, S. Liem¹¹⁸, A. Limosani¹⁵⁴, C.Y. Lin³¹, K. Lin¹⁰⁴, T.H. Lin⁹⁷, R.A. Linck⁶³, J.H. Lindon²¹, B.E. Lindquist¹⁵², A.L. Lioni⁵², E. Lipeles¹³³, A. Lipniacka¹⁷, M. Lisovyi^{59b}, T.M. Liss^{170,ao}, A. Lister¹⁷², A.M. Litke¹⁴³, J.D. Little⁸, B. Liu⁷⁶, B.L. Liu⁶, H.B. Liu²⁹, H. Liu¹⁰³, J.B. Liu^{58a}, J.K.K. Liu¹³¹, K. Liu¹³², M. Liu^{58a}, P. Liu¹⁸, Y. Liu^{15a}, Y.L. Liu^{58a}, Y.W. Liu^{58a}, M. Livan^{68a,68b}, A. Lleres⁵⁶, J. Llorente Merino^{15a}, S.L. Lloyd⁹⁰, C.Y. Lo^{61b}, F. Lo Sterzo⁴¹, E.M. Lobodzinska⁴⁴, P. Loch⁷, T. Lohse¹⁹, K. Lohwasser¹⁴⁶, M. Lokajicek¹³⁷, B.A. Long²⁵, J.D. Long¹⁷⁰, R.E. Long⁸⁷, L. Longo^{65a,65b}, K.A. Looper¹²², J.A. Lopez^{144b}, I. Lopez Paz¹⁴, A. Lopez Solis¹⁴⁶, J. Lorenz¹¹², N. Lorenzo Martinez⁵, M. Losada²², P.J. Lösel¹¹², A. Lösle⁵⁰, X. Lou⁴⁴, X. Lou^{15a}, A. Lounis¹²⁸, J. Love⁶, P.A. Love⁸⁷, J.J. Lozano Bahilo¹⁷¹, H. Lu^{61a}, M. Lu^{58a}, N. Lu¹⁰³, Y.J. Lu⁶², H.J. Lubatti¹⁴⁵, C. Luci^{70a,70b}, A. Lucotte⁵⁶, C. Luedtke⁵⁰, F. Luehring⁶³, I. Luise¹³², L. Luminari^{70a}, B. Lund-Jensen¹⁵¹, M.S. Lutz¹⁰⁰, P.M. Luzi¹³², D. Lynn²⁹, R. Lysak¹³⁷, E. Lytken⁹⁴, F. Lyu^{15a}, V. Lyubushkin⁷⁷, H. Ma²⁹, L.L. Ma^{58b}, Y. Ma^{58b}, G. Maccarrone⁴⁹, A. Macchiolo¹¹³, C.M. Macdonald¹⁴⁶, J. Machado Miguens^{133,136b}, D. Madaffari¹⁷¹, R. Madar³⁷, W.F. Mader⁴⁶, A. Madsen⁴⁴, N. Madysa⁴⁶, J. Maeda⁸⁰, K. Maekawa¹⁶⁰, S. Maeland¹⁷, T. Maeno²⁹, A.S. Maevskiy¹¹¹, V. Magerl⁵⁰, C. Maidantchik^{78b}, T. Maier¹¹², A. Maio^{136a,136b,136d}, O. Majersky^{28a}, S. Majewski¹²⁷, Y. Makida⁷⁹, N. Makovec¹²⁸, B. Malaescu¹³², Pa. Malecki⁸², V.P. Maleev¹³⁴, F. Malek⁵⁶, U. Mallik⁷⁵, D. Malon⁶, C. Malone³¹, S. Maltezos¹⁰, S. Malyukov³⁵, J. Mamuzic¹⁷¹, G. Mancini⁴⁹, I. Mandić⁸⁹, J. Maneira^{136a}, L. Manhaes de Andrade Filho^{78a}, J. Manjarres Ramos⁴⁶, K.H. Mankinen⁹⁴, A. Mann¹¹², A. Manousos⁷⁴, B. Mansoulie¹⁴², J.D. Mansour^{15a}, M. Mantoani⁵¹, S. Manzoni^{66a,66b}, A. Marantis¹⁵⁹, G. Marceca³⁰, L. March⁵², L. Marchese¹³¹, G. Marchiori¹³², M. Marcisovsky¹³⁷, C.A. Marin Tobon³⁵, M. Marjanovic³⁷, D.E. Marley¹⁰³, F. Marroquim^{78b}, Z. Marshall¹⁸, M.U.F. Martensson¹⁶⁹, S. Marti-Garcia¹⁷¹, C.B. Martin¹²², T.A. Martin¹⁷⁵, V.J. Martin⁴⁸, B. Martin dit Latour¹⁷, M. Martinez^{14,y}, V.I. Martinez Outschoorn¹⁰⁰, S. Martin-Haugh¹⁴¹, V.S. Martoiu^{27b}, A.C. Martyniuk⁹², A. Marzin³⁵, L. Masetti⁹⁷, T. Mashimo¹⁶⁰, R. Mashinistov¹⁰⁸, J. Masik⁹⁸, A.L. Maslennikov^{120b,120a}, L.H. Mason¹⁰², L. Massa^{71a,71b}, P. Massarotti^{67a,67b}, P. Mastrandrea⁵, A. Mastroberardino^{40b,40a}, T. Masubuchi¹⁶⁰, P. Mättig¹⁷⁹, J. Maurer^{27b}, B. Maček⁸⁹, S.J. Maxfield⁸⁸, D.A. Maximov^{120b,120a}, R. Mazini¹⁵⁵, I. Maznas¹⁵⁹, S.M. Mazza¹⁴³, N.C. Mc Fadden¹¹⁶, G. Mc Goldrick¹⁶⁴, S.P. Mc Kee¹⁰³, A. McCarn¹⁰³, T.G. McCarthy¹¹³, L.I. McClymont⁹², E.F. McDonald¹⁰², J.A. Mcfayden³⁵, G. Mchedlidze⁵¹, M.A. McKay⁴¹, K.D. McLean¹⁷³, S.J. McMahon¹⁴¹, P.C. McNamara¹⁰², C.J. McNicol¹⁷⁵, R.A. McPherson^{173,ac}, J.E. Mdhluli^{32c}, Z.A. Meadows¹⁰⁰, S. Meehan¹⁴⁵, T.M. Megy⁵⁰, S. Mehlhase¹¹², A. Mehta⁸⁸, T. Meideck⁵⁶, B. Meirose⁴², D. Melini^{171,g}, B.R. Mellado Garcia^{32c}, J.D. Mellenthin⁵¹, M. Melo^{28a}, F. Meloni⁴⁴, A. Melzer²⁴, S.B. Menary⁹⁸, E.D. Mendes Gouveia^{136a}, L. Meng⁸⁸, X.T. Meng¹⁰³, A. Mengarelli^{23b,23a}, S. Menke¹¹³, E. Meoni^{40b,40a}, S. Mergelmeyer¹⁹, S.A.M. Merkt¹³⁵, C. Merlassino²⁰, P. Mermod⁵², L. Merola^{67a,67b}, C. Meroni^{66a}, F.S. Merritt³⁶, A. Messina^{70a,70b}, J. Metcalfe⁶, A.S. Mete¹⁶⁸, C. Meyer¹³³, J. Meyer¹⁵⁷, J.-P. Meyer¹⁴², H. Meyer Zu Theenhausen^{59a}, F. Miano¹⁵³, R.P. Middleton¹⁴¹, L. Mijović⁴⁸, G. Mikenberg¹⁷⁷, M. Mikesstikova¹³⁷, M. Mikuž⁸⁹, M. Milesi¹⁰², A. Milic¹⁶⁴, D.A. Millar⁹⁰, D.W. Miller³⁶, A. Milov¹⁷⁷, D.A. Milstead^{43a,43b}, A.A. Minaenko¹⁴⁰, M. Miñano Moya¹⁷¹, I.A. Minashvili^{156b}, A.I. Mincer¹²¹, B. Mindur^{81a}, M. Mineev⁷⁷, Y. Minegishi¹⁶⁰, Y. Ming¹⁷⁸, L.M. Mir¹⁴, A. Mirto^{65a,65b}, K.P. Mistry¹³³, T. Mitani¹⁷⁶, J. Mitrevski¹¹², V.A. Mitsou¹⁷¹, A. Miucci²⁰, P.S. Miyagawa¹⁴⁶, A. Mizukami⁷⁹, J.U. Mjörnmark⁹⁴, T. Mkrtchyan¹⁸¹, M. Mlynarikova¹³⁹, T. Moa^{43a,43b}, K. Mochizuki¹⁰⁷, P. Mogg⁵⁰, S. Mohapatra³⁸, S. Molander^{43a,43b}, R. Moles-Valls²⁴, M.C. Mondragon¹⁰⁴, K. Mönig⁴⁴, J. Monk³⁹, E. Monnier⁹⁹, A. Montalbano¹⁴⁹, J. Montejo Berlingen³⁵, F. Monticelli⁸⁶,

S. Monzani^{66a}, N. Morange¹²⁸, D. Moreno²², M. Moreno Llácer³⁵, P. Morettini^{53b}, M. Morgenstern¹¹⁸, S. Morgenstern⁴⁶, D. Mori¹⁴⁹, M. Morii⁵⁷, M. Morinaga¹⁷⁶, V. Morisbak¹³⁰, A.K. Morley³⁵, G. Mornacchi³⁵, A.P. Morris⁹², J.D. Morris⁹⁰, L. Morvaj¹⁵², P. Moschovakos¹⁰, M. Mosidze^{156b}, H.J. Moss¹⁴⁶, J. Moss^{150,m}, K. Motohashi¹⁶², R. Mount¹⁵⁰, E. Mountricha³⁵, E.J.W. Moyses¹⁰⁰, S. Muanza⁹⁹, F. Mueller¹¹³, J. Mueller¹³⁵, R.S.P. Mueller¹¹², D. Muenstermann⁸⁷, G.A. Mullier⁹⁴, F.J. Munoz Sanchez⁹⁸, P. Murin^{28b}, W.J. Murray^{175,141}, A. Murrone^{66a,66b}, M. Muškinja⁸⁹, C. Mwewa^{32a}, A.G. Myagkov^{140,ak}, J. Myers¹²⁷, M. Myska¹³⁸, B.P. Nachman¹⁸, O. Nackenhorst⁴⁵, K. Nagai¹³¹, K. Nagano⁷⁹, Y. Nagasaka⁶⁰, M. Nagel⁵⁰, E. Nagy⁹⁹, A.M. Nairz³⁵, Y. Nakahama¹¹⁵, K. Nakamura⁷⁹, T. Nakamura¹⁶⁰, I. Nakano¹²³, H. Nanjo¹²⁹, F. Napolitano^{59a}, R.F. Naranjo Garcia⁴⁴, R. Narayan¹¹, D.I. Narrias Villar^{59a}, I. Naryshkin¹³⁴, T. Naumann⁴⁴, G. Navarro²², R. Nayyar⁷, H.A. Neal¹⁰³, P.Y. Nechaeva¹⁰⁸, T.J. Neep¹⁴², A. Negri^{68a,68b}, M. Negrini^{23b}, S. Nektarijevic¹¹⁷, C. Nellist⁵¹, M.E. Nelson¹³¹, S. Nemecek¹³⁷, P. Nemethy¹²¹, M. Nessi^{35,e}, M.S. Neubauer¹⁷⁰, M. Neumann¹⁷⁹, P.R. Newman²¹, T.Y. Ng^{61c}, Y.S. Ng¹⁹, H.D.N. Nguyen⁹⁹, T. Nguyen Manh¹⁰⁷, E. Nibigira³⁷, R.B. Nickerson¹³¹, R. Nicolaidou¹⁴², D.S. Nielsen³⁹, J. Nielsen¹⁴³, N. Nikipforou¹¹, V. Nikolaenko^{140,ak}, I. Nikolic-Audit¹³², K. Nikolopoulos²¹, P. Nilsson²⁹, Y. Ninomiya⁷⁹, A. Nisati^{70a}, N. Nishu^{58c}, R. Nisius¹¹³, I. Nitsche⁴⁵, T. Nitta¹⁷⁶, T. Nobe¹⁶⁰, Y. Noguchi⁸³, M. Nomachi¹²⁹, I. Nomidis¹³², M.A. Nomura²⁹, T. Nooney⁹⁰, M. Nordberg³⁵, N. Norjoharuddeen¹³¹, T. Novak⁸⁹, O. Novgorodova⁴⁶, R. Novotny¹³⁸, L. Nozka¹²⁶, K. Ntekas¹⁶⁸, E. Nurse⁹², F. Nuti¹⁰², F.G. Oakham^{33,ar}, H. Oberlack¹¹³, T. Obermann²⁴, J. Ocariz¹³², A. Ochi⁸⁰, I. Ochoa³⁸, J.P. Ochoa-Ricoux^{144a}, K. O'Connor²⁶, S. Oda⁸⁵, S. Odaka⁷⁹, S. Oerdek⁵¹, A. Oh⁹⁸, S.H. Oh⁴⁷, C.C. Ohm¹⁵¹, H. Oide^{53b,53a}, M.L. Ojeda¹⁶⁴, H. Okawa¹⁶⁶, Y. Okazaki⁸³, Y. Okumura¹⁶⁰, T. Okuyama⁷⁹, A. Olariu^{27b}, L.F. Oleiro Seabra^{136a}, S.A. Olivares Pino^{144a}, D. Oliveira Damazio²⁹, J.L. Oliver¹, M.J.R. Olsson³⁶, A. Olszewski⁸², J. Olszowska⁸², D.C. O'Neil¹⁴⁹, A. Onofre^{136a,136e}, K. Onogi¹¹⁵, P.U.E. Onyisi¹¹, H. Oppen¹³⁰, M.J. Oreglia³⁶, G.E. Orellana⁸⁶, Y. Oren¹⁵⁸, D. Orestano^{72a,72b}, E.C. Orgill⁹⁸, N. Orlando^{61b}, A.A. O'Rourke⁴⁴, R.S. Orr¹⁶⁴, B. Osculati^{53b,53a,*}, V. O'Shea⁵⁵, R. Ospanov^{58a}, G. Otero y Garzon³⁰, H. Otono⁸⁵, M. Ouchrif^{34d}, F. Ould-Saada¹³⁰, A. Ouraou¹⁴², Q. Ouyang^{15a}, M. Owen⁵⁵, R.E. Owen²¹, V.E. Ozcan^{12c}, N. Ozturk⁸, J. Pacalt¹²⁶, H.A. Pacey³¹, K. Pachal¹⁴⁹, A. Pacheco Pages¹⁴, L. Pacheco Rodriguez¹⁴², C. Padilla Aranda¹⁴, S. Pagan Griso¹⁸, M. Paganini¹⁸⁰, G. Palacino⁶³, S. Palazzo^{40b,40a}, S. Palestini³⁵, M. Palka^{81b}, D. Pallin³⁷, I. Panagoulas¹⁰, C.E. Pandini³⁵, J.G. Panduro Vazquez⁹¹, P. Pani³⁵, G. Panizzo^{64a,64c}, L. Paolozzi⁵², T.D. Papadopoulou¹⁰, K. Papageorgiou^{9,i}, A. Paramonov⁶, D. Paredes Hernandez^{61b}, S.R. Paredes Saenz¹³¹, B. Parida¹⁶³, A.J. Parker⁸⁷, K.A. Parker⁴⁴, M.A. Parker³¹, F. Parodi^{53b,53a}, J.A. Parsons³⁸, U. Parzefall⁵⁰, V.R. Pascuzzi¹⁶⁴, J.M.P. Pasner¹⁴³, E. Pasqualucci^{70a}, S. Passaggio^{53b}, F. Pastore⁹¹, P. Pasuwan^{43a,43b}, S. Pataria⁹⁷, J.R. Pater⁹⁸, A. Pathak^{178,j}, T. Pauly³⁵, B. Pearson¹¹³, M. Pedersen¹³⁰, L. Pedraza Diaz¹¹⁷, R. Pedro^{136a,136b}, S.V. Peleganchuk^{120b,120a}, O. Penc¹³⁷, C. Peng^{15d}, H. Peng^{58a}, B.S. Peralva^{78a}, M.M. Perego¹⁴², A.P. Pereira Peixoto^{136a}, D.V. Perepelitsa²⁹, F. Peri¹⁹, L. Perini^{66a,66b}, H. Pernegger³⁵, S. Perrella^{67a,67b}, V.D. Peshekhonov^{77,*}, K. Peters⁴⁴, R.F.Y. Peters⁹⁸, B.A. Petersen³⁵, T.C. Petersen³⁹, E. Petit⁵⁶, A. Petridis¹, C. Petridou¹⁵⁹, P. Petroff¹²⁸, M. Petrov¹³¹, F. Petrucci^{72a,72b}, M. Pettee¹⁸⁰, N.E. Pettersson¹⁰⁰, A. Peyaud¹⁴², R. Pezoa^{144b}, T. Pham¹⁰², F.H. Phillips¹⁰⁴, P.W. Phillips¹⁴¹, M.W. Phipps¹⁷⁰, G. Piacquadio¹⁵², E. Pianori¹⁸, A. Picazio¹⁰⁰, M.A. Pickering¹³¹, R.H. Pickles⁹⁸, R. Piegaia³⁰, J.E. Pilcher³⁶, A.D. Pilkington⁹⁸, M. Pinamonti^{71a,71b}, J.L. Pinfold³, M. Pitt¹⁷⁷, L. Pizzimento^{71a,71b}, M-A. Pleier²⁹, V. Pleskot¹³⁹, E. Plotnikova⁷⁷, D. Pluth⁷⁶, P. Podberezko^{120b,120a}, R. Poettgen⁹⁴, R. Poggi⁵², L. Poggioli¹²⁸, I. Pogrebnyak¹⁰⁴, D. Pohl²⁴, I. Pokharel⁵¹, G. Polesello^{68a}, A. Poley¹⁸, A. Policicchio^{70a,70b}, R. Polifka³⁵, A. Polini^{23b}, C.S. Pollard⁴⁴, V. Polychronakos²⁹, D. Ponomarenko¹¹⁰, L. Pontecorvo^{70a}, G.A. Popeneciu^{27d}, D.M. Portillo Quintero¹³², S. Pospisil¹³⁸, K. Potamianos⁴⁴, I.N. Potrap⁷⁷, C.J. Potter³¹, H. Potti¹¹, T. Poulsen⁹⁴, J. Poveda³⁵, T.D. Powell¹⁴⁶, M.E. Pozo Astigarraga³⁵, P. Pralavorio⁹⁹, S. Prell⁷⁶, D. Price⁹⁸, M. Primavera^{65a}, S. Prince¹⁰¹, N. Proklova¹¹⁰, K. Prokofiev^{61c}, F. Prokoshin^{144b}, S. Protopopescu²⁹, J. Proudfoot⁶, M. Przybycien^{81a}, A. Puri¹⁷⁰, P. Puzo¹²⁸, J. Qian¹⁰³, Y. Qin⁹⁸, A. Quadt⁵¹, M. Queitsch-Maitland⁴⁴, A. Qureshi¹, P. Rados¹⁰², F. Ragusa^{66a,66b}, G. Rahal⁹⁵, J.A. Raine⁵², S. Rajagopalan²⁹, A. Ramirez Morales⁹⁰, T. Rashid¹²⁸, S. Raspopov⁵, M.G. Ratti^{66a,66b}, D.M. Rauch⁴⁴, F. Rauscher¹¹², S. Rave⁹⁷, B. Ravina¹⁴⁶, I. Ravinovich¹⁷⁷, J.H. Rawling⁹⁸, M. Raymond³⁵, A.L. Read¹³⁰, N.P. Readioff⁵⁶, M. Reale^{65a,65b}, D.M. Rebuzzi^{68a,68b}, A. Redelbach¹⁷⁴, G. Redlinger²⁹, R. Reece¹⁴³, R.G. Reed^{32c},

K. Reeves⁴², L. Rehnisch¹⁹, J. Reichert¹³³, D. Reikher¹⁵⁸, A. Reiss⁹⁷, C. Rembser³⁵, H. Ren^{15d},
 M. Rescigno^{70a}, S. Resconi^{66a}, E.D. Resseguie¹³³, S. Rettie¹⁷², E. Reynolds²¹, O.L. Rezanova^{120b,120a},
 P. Reznicek¹³⁹, E. Ricci^{73a,73b}, R. Richter¹¹³, S. Richter⁴⁴, E. Richter-Was^{81b}, O. Ricken²⁴, M. Ridel¹³²,
 P. Rieck¹¹³, C.J. Riegel¹⁷⁹, O. Rifki⁴⁴, M. Rijssenbeek¹⁵², A. Rimoldi^{68a,68b}, M. Rimoldi²⁰, L. Rinaldi^{23b},
 G. Ripellino¹⁵¹, B. Ristić⁸⁷, E. Ritsch³⁵, I. Riu¹⁴, J.C. Rivera Vergara^{144a}, F. Rizatdinova¹²⁵, E. Rizvi⁹⁰,
 C. Rizzi¹⁴, R.T. Roberts⁹⁸, S.H. Robertson^{101,ac}, D. Robinson³¹, J.E.M. Robinson⁴⁴, A. Robson⁵⁵,
 E. Rocco⁹⁷, C. Roda^{69a,69b}, Y. Rodina⁹⁹, S. Rodriguez Bosca¹⁷¹, A. Rodriguez Perez¹⁴,
 D. Rodriguez Rodriguez¹⁷¹, A.M. Rodríguez Vera^{165b}, S. Roe³⁵, C.S. Rogan⁵⁷, O. Røhne¹³⁰, R. Röhrig¹¹³,
 C.P.A. Roland⁶³, J. Roloff⁵⁷, A. Romaniouk¹¹⁰, M. Romano^{23b,23a}, N. Rompotis⁸⁸, M. Ronzani¹²¹,
 L. Roos¹³², S. Rosati^{70a}, K. Rosbach⁵⁰, P. Rose¹⁴³, N-A. Rosien⁵¹, B.J. Rosser¹³³, E. Rossi⁴⁴,
 E. Rossi^{72a,72b}, E. Rossi^{67a,67b}, L.P. Rossi^{53b}, L. Rossini^{66a,66b}, J.H.N. Rosten³¹, R. Rosten¹⁴, M. Rotaru^{27b},
 J. Rothberg¹⁴⁵, D. Rousseau¹²⁸, D. Roy^{32c}, A. Rozanov⁹⁹, Y. Rozen¹⁵⁷, X. Ruan^{32c}, F. Rubbo¹⁵⁰,
 F. Rühr⁵⁰, A. Ruiz-Martinez¹⁷¹, Z. Rurikova⁵⁰, N.A. Rusakovich⁷⁷, H.L. Russell¹⁰¹, J.P. Rutherford⁷,
 E.M. Rüttinger^{44,k}, Y.F. Ryabov¹³⁴, M. Rybar¹⁷⁰, G. Rybkin¹²⁸, S. Ryu⁶, A. Ryzhov¹⁴⁰, G.F. Rzehorz⁵¹,
 P. Sabatini⁵¹, G. Sabato¹¹⁸, S. Sacerdoti¹²⁸, H.F-W. Sadrozinski¹⁴³, R. Sadykov⁷⁷, F. Safai Tehrani^{70a},
 P. Saha¹¹⁹, M. Sahinsoy^{59a}, A. Sahu¹⁷⁹, M. Saimpert⁴⁴, M. Saito¹⁶⁰, T. Saito¹⁶⁰, H. Sakamoto¹⁶⁰,
 A. Sakharov^{121,aj}, D. Salamani⁵², G. Salamanna^{72a,72b}, J.E. Salazar Loyola^{144b}, P.H. Sales De Bruin¹⁶⁹,
 D. Salihagic¹¹³, A. Salnikov¹⁵⁰, J. Salt¹⁷¹, D. Salvatore^{40b,40a}, F. Salvatore¹⁵³, A. Salvucci^{61a,61b,61c},
 A. Salzburger³⁵, J. Samarati³⁵, D. Sammel⁵⁰, D. Sampsonidis¹⁵⁹, D. Sampsonidou¹⁵⁹, J. Sánchez¹⁷¹,
 A. Sanchez Pineda^{64a,64c}, H. Sandaker¹³⁰, C.O. Sander⁴⁴, M. Sandhoff¹⁷⁹, C. Sandoval²²,
 D.P.C. Sankey¹⁴¹, M. Sannino^{53b,53a}, Y. Sano¹¹⁵, A. Sansoni⁴⁹, C. Santoni³⁷, H. Santos^{136a},
 I. Santoyo Castillo¹⁵³, A. Santra¹⁷¹, A. Saponov⁷⁷, J.G. Saraiva^{136a,136d}, O. Sasaki⁷⁹, K. Sato¹⁶⁶,
 E. Sauvan⁵, P. Savard^{164,ar}, N. Savic¹¹³, R. Sawada¹⁶⁰, C. Sawyer¹⁴¹, L. Sawyer^{93,ai}, C. Sbarra^{23b},
 A. Sbrizzi^{23b,23a}, T. Scanlon⁹², J. Schaarschmidt¹⁴⁵, P. Schacht¹¹³, B.M. Schachtner¹¹², D. Schaefer³⁶,
 L. Schaefer¹³³, J. Schaeffer⁹⁷, S. Schaepe³⁵, U. Schäfer⁹⁷, A.C. Schaffer¹²⁸, D. Schaile¹¹²,
 R.D. Schamberger¹⁵², N. Scharmberg⁹⁸, V.A. Schegelsky¹³⁴, D. Scheirich¹³⁹, F. Schenck¹⁹,
 M. Schernau¹⁶⁸, C. Schiavi^{53b,53a}, S. Schier¹⁴³, L.K. Schildgen²⁴, Z.M. Schillaci²⁶, E.J. Schioppa³⁵,
 M. Schioppa^{40b,40a}, K.E. Schleicher⁵⁰, S. Schlenker³⁵, K.R. Schmidt-Sommerfeld¹¹³, K. Schmieden³⁵,
 C. Schmitt⁹⁷, S. Schmitt⁴⁴, S. Schmitz⁹⁷, J.C. Schmoeckel⁴⁴, U. Schnoor⁵⁰, L. Schoeffel¹⁴²,
 A. Schoening^{59b}, E. Schopf¹³¹, M. Schott⁹⁷, J.F.P. Schouwenberg¹¹⁷, J. Schovancova³⁵, S. Schramm⁵²,
 A. Schulte⁹⁷, H-C. Schultz-Coulon^{59a}, M. Schumacher⁵⁰, B.A. Schumm¹⁴³, Ph. Schune¹⁴²,
 A. Schwartzman¹⁵⁰, T.A. Schwarz¹⁰³, Ph. Schwemling¹⁴², R. Schwienhorst¹⁰⁴, A. Sciandra²⁴,
 G. Sciolla²⁶, M. Scornajenghi^{40b,40a}, F. Scuri^{69a}, F. Scutti¹⁰², L.M. Scyboz¹¹³, J. Searcy¹⁰³,
 C.D. Sebastiani^{70a,70b}, P. Seema¹⁹, S.C. Seidel¹¹⁶, A. Seiden¹⁴³, T. Seiss³⁶, J.M. Seixas^{78b},
 G. Sekhniaidze^{67a}, K. Sekhon¹⁰³, S.J. Sekula⁴¹, N. Semprini-Cesari^{23b,23a}, S. Sen⁴⁷, S. Senkin³⁷,
 C. Serfon¹³⁰, L. Serin¹²⁸, L. Serkin^{64a,64b}, M. Sessa^{58a}, H. Severini¹²⁴, F. Sforza¹⁶⁷, A. Sfyrila⁵²,
 E. Shabalina⁵¹, J.D. Shahinian¹⁴³, N.W. Shaikh^{43a,43b}, L.Y. Shan^{15a}, R. Shang¹⁷⁰, J.T. Shank²⁵,
 M. Shapiro¹⁸, A.S. Sharma¹, A. Sharma¹³¹, P.B. Shatalov¹⁰⁹, K. Shaw¹⁵³, S.M. Shaw⁹⁸,
 A. Shcherbakova¹³⁴, Y. Shen¹²⁴, N. Sherafati³³, A.D. Sherman²⁵, P. Sherwood⁹², L. Shi^{155,an},
 S. Shimizu⁷⁹, C.O. Shimmin¹⁸⁰, M. Shimojima¹¹⁴, I.P.J. Shipsey¹³¹, S. Shirabe⁸⁵, M. Shiyakova⁷⁷,
 J. Shlomi¹⁷⁷, A. Shmeleva¹⁰⁸, D. Shoaleh Saadi¹⁰⁷, M.J. Shochet³⁶, S. Shojaii¹⁰², D.R. Shope¹²⁴,
 S. Shrestha¹²², E. Shulga¹¹⁰, P. Sicho¹³⁷, A.M. Sickles¹⁷⁰, P.E. Sidebo¹⁵¹, E. Sideras Haddad^{32c},
 O. Sidiropoulou³⁵, A. Sidoti^{23b,23a}, F. Siegert⁴⁶, Dj. Sijacki¹⁶, J. Silva^{136a}, M. Silva Jr.¹⁷⁸,
 M.V. Silva Oliveira^{78a}, S.B. Silverstein^{43a}, S. Simion¹²⁸, E. Simioni⁹⁷, M. Simon⁹⁷, R. Simoniello⁹⁷,
 P. Sinervo¹⁶⁴, N.B. Sinev¹²⁷, M. Sioli^{23b,23a}, G. Siragusa¹⁷⁴, I. Siral¹⁰³, S.Yu. Sivoklokov¹¹¹,
 J. Sjölin^{43a,43b}, P. Skubic¹²⁴, M. Slater²¹, T. Slavicek¹³⁸, M. Slawinska⁸², K. Sliwa¹⁶⁷, R. Slovak¹³⁹,
 V. Smakhtin¹⁷⁷, B.H. Smart⁵, J. Smiesko^{28a}, N. Smirnov¹¹⁰, S.Yu. Smirnov¹¹⁰, Y. Smirnov¹¹⁰,
 L.N. Smirnova¹¹¹, O. Smirnova⁹⁴, J.W. Smith⁵¹, M.N.K. Smith³⁸, M. Smizanska⁸⁷, K. Smolek¹³⁸,
 A. Smykiewicz⁸², A.A. Snesarev¹⁰⁸, I.M. Snyder¹²⁷, S. Snyder²⁹, R. Sobie^{173,ac}, A.M. Soffa¹⁶⁸,
 A. Soffer¹⁵⁸, A. Søgaard⁴⁸, D.A. Soh¹⁵⁵, G. Sokhrannyi⁸⁹, C.A. Solans Sanchez³⁵, M. Solar¹³⁸,
 E.Yu. Soldatov¹¹⁰, U. Soldevila¹⁷¹, A.A. Solodkov¹⁴⁰, A. Soloshenko⁷⁷, O.V. Solovyanov¹⁴⁰,
 V. Solovyev¹³⁴, P. Sommer¹⁴⁶, H. Son¹⁶⁷, W. Song¹⁴¹, W.Y. Song^{165b}, A. Sopczak¹³⁸, F. Sopkova^{28b},

C.L. Sotiropoulou ^{69a,69b}, S. Sottocornola ^{68a,68b}, R. Soualah ^{64a,64c,h}, A.M. Soukharev ^{120b,120a}, D. South ⁴⁴, B.C. Sowden ⁹¹, S. Spagnolo ^{65a,65b}, M. Spalla ¹¹³, M. Spangenberg ¹⁷⁵, F. Spanò ⁹¹, D. Sperlich ¹⁹, F. Spettel ¹¹³, T.M. Spieker ^{59a}, R. Spighi ^{23b}, G. Spigo ³⁵, L.A. Spiller ¹⁰², D.P. Spiteri ⁵⁵, M. Spousta ¹³⁹, A. Stabile ^{66a,66b}, R. Stamen ^{59a}, S. Stamm ¹⁹, E. Stanecka ⁸², R.W. Stanek ⁶, C. Stanescu ^{72a}, B. Stanislaus ¹³¹, M.M. Stanitzki ⁴⁴, B. Stapf ¹¹⁸, S. Stapnes ¹³⁰, E.A. Starchenko ¹⁴⁰, G.H. Stark ³⁶, J. Stark ⁵⁶, S.H. Stark ³⁹, P. Staroba ¹³⁷, P. Starovoitov ^{59a}, S. Stärz ³⁵, R. Staszewski ⁸², M. Stegler ⁴⁴, P. Steinberg ²⁹, B. Stelzer ¹⁴⁹, H.J. Stelzer ³⁵, O. Stelzer-Chilton ^{165a}, H. Stenzel ⁵⁴, T.J. Stevenson ⁹⁰, G.A. Stewart ⁵⁵, M.C. Stockton ¹²⁷, G. Stoicea ^{27b}, P. Stolte ⁵¹, S. Stonjek ¹¹³, A. Straessner ⁴⁶, J. Strandberg ¹⁵¹, S. Strandberg ^{43a,43b}, M. Strauss ¹²⁴, P. Strizenec ^{28b}, R. Ströhmer ¹⁷⁴, D.M. Strom ¹²⁷, R. Stroynowski ⁴¹, A. Strubig ⁴⁸, S.A. Stucci ²⁹, B. Stugu ¹⁷, J. Stupak ¹²⁴, N.A. Styles ⁴⁴, D. Su ¹⁵⁰, J. Su ¹³⁵, S. Suchek ^{59a}, Y. Sugaya ¹²⁹, M. Suk ¹³⁸, V.V. Sulim ¹⁰⁸, M.J. Sullivan ⁸⁸, D.M.S. Sultan ⁵², S. Sultansoy ^{4c}, T. Sumida ⁸³, S. Sun ¹⁰³, X. Sun ³, K. Suruliz ¹⁵³, C.J.E. Suster ¹⁵⁴, M.R. Sutton ¹⁵³, S. Suzuki ⁷⁹, M. Svatos ¹³⁷, M. Swiatlowski ³⁶, S.P. Swift ², A. Sydorenko ⁹⁷, I. Sykora ^{28a}, T. Sykora ¹³⁹, D. Ta ⁹⁷, K. Tackmann ^{44,z}, J. Taenzer ¹⁵⁸, A. Taffard ¹⁶⁸, R. Tafirout ^{165a}, E. Tahirovic ⁹⁰, N. Taiblum ¹⁵⁸, H. Takai ²⁹, R. Takashima ⁸⁴, E.H. Takasugi ¹¹³, K. Takeda ⁸⁰, T. Takeshita ¹⁴⁷, Y. Takubo ⁷⁹, M. Talby ⁹⁹, A.A. Talyshev ^{120b,120a}, J. Tanaka ¹⁶⁰, M. Tanaka ¹⁶², R. Tanaka ¹²⁸, B.B. Tannenwald ¹²², S. Tapia Araya ^{144b}, S. Tapprogge ⁹⁷, A. Tarek Abouelfadl Mohamed ¹³², S. Tarem ¹⁵⁷, G. Tarna ^{27b,d}, G.F. Tartarelli ^{66a}, P. Tas ¹³⁹, M. Tasevsky ¹³⁷, T. Tashiro ⁸³, E. Tassi ^{40b,40a}, A. Tavares Delgado ^{136a,136b}, Y. Tayalati ^{34e}, A.C. Taylor ¹¹⁶, A.J. Taylor ⁴⁸, G.N. Taylor ¹⁰², P.T.E. Taylor ¹⁰², W. Taylor ^{165b}, A.S. Tee ⁸⁷, P. Teixeira-Dias ⁹¹, H. Ten Kate ³⁵, P.K. Teng ¹⁵⁵, J.J. Teoh ¹¹⁸, S. Terada ⁷⁹, K. Terashi ¹⁶⁰, J. Terron ⁹⁶, S. Terzo ¹⁴, M. Testa ⁴⁹, R.J. Teuscher ^{164,ac}, S.J. Thais ¹⁸⁰, T. Theveneaux-Pelzer ⁴⁴, F. Thiele ³⁹, D.W. Thomas ⁹¹, J.P. Thomas ²¹, A.S. Thompson ⁵⁵, P.D. Thompson ²¹, L.A. Thomsen ¹⁸⁰, E. Thomson ¹³³, Y. Tian ³⁸, R.E. Ticse Torres ⁵¹, V.O. Tikhomirov ^{108,al}, Yu.A. Tikhonov ^{120b,120a}, S. Timoshenko ¹¹⁰, P. Tipton ¹⁸⁰, S. Tisserant ⁹⁹, K. Todome ¹⁶², S. Todorova-Nova ⁵, S. Todt ⁴⁶, J. Tojo ⁸⁵, S. Tokár ^{28a}, K. Tokushuku ⁷⁹, E. Tolley ¹²², K.G. Tomiwa ^{32c}, M. Tomoto ¹¹⁵, L. Tompkins ^{150,p}, K. Toms ¹¹⁶, B. Tong ⁵⁷, P. Tornambe ⁵⁰, E. Torrence ¹²⁷, H. Torres ⁴⁶, E. Torrò Pastor ¹⁴⁵, C. Tosciri ¹³¹, J. Toth ^{99,ab}, F. Touchard ⁹⁹, D.R. Tovey ¹⁴⁶, C.J. Treado ¹²¹, T. Trefzger ¹⁷⁴, F. Tresoldi ¹⁵³, A. Tricoli ²⁹, I.M. Trigger ^{165a}, S. Trincaz-Duvoid ¹³², M.F. Tripania ¹⁴, W. Trischuk ¹⁶⁴, B. Trocmé ⁵⁶, A. Trofymov ¹²⁸, C. Troncon ^{66a}, M. Trovatelli ¹⁷³, F. Trovato ¹⁵³, L. Truong ^{32b}, M. Trzebinski ⁸², A. Trzupek ⁸², F. Tsai ⁴⁴, J.C-L. Tseng ¹³¹, P.V. Tsiarehka ¹⁰⁵, A. Tsigotis ¹⁵⁹, N. Tsirintanis ⁹, V. Tsiskaridze ¹⁵², E.G. Tskhadadze ^{156a}, I.I. Tsukerman ¹⁰⁹, V. Tsulaia ¹⁸, S. Tsuno ⁷⁹, D. Tsybychev ^{152,163}, Y. Tu ^{61b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, T.T. Tulbure ^{27a}, A.N. Tuna ⁵⁷, S. Turchikhin ⁷⁷, D. Turgeman ¹⁷⁷, I. Turk Cakir ^{4b,t}, R. Turra ^{66a}, P.M. Tuts ³⁸, E. Tzovara ⁹⁷, G. Uccielli ^{23b,23a}, I. Ueda ⁷⁹, M. Ughetto ^{43a,43b}, F. Ukegawa ¹⁶⁶, G. Unal ³⁵, A. Undrus ²⁹, G. Unel ¹⁶⁸, F.C. Ungaro ¹⁰², Y. Unno ⁷⁹, K. Uno ¹⁶⁰, J. Urban ^{28b}, P. Urquijo ¹⁰², P. Urrejola ⁹⁷, G. Usai ⁸, J. Usui ⁷⁹, L. Vacavant ⁹⁹, V. Vacek ¹³⁸, B. Vachon ¹⁰¹, K.O.H. Vadla ¹³⁰, A. Vaidya ⁹², C. Valderanis ¹¹², E. Valdes Santurio ^{43a,43b}, M. Valente ⁵², S. Valentinetti ^{23b,23a}, A. Valero ¹⁷¹, L. Valéry ⁴⁴, R.A. Vallance ²¹, A. Vallier ⁵, J.A. Valls Ferrer ¹⁷¹, T.R. Van Daalen ¹⁴, H. Van der Graaf ¹¹⁸, P. Van Gemmeren ⁶, J. Van Nieuwkoop ¹⁴⁹, I. Van Vulpen ¹¹⁸, M. Vanadia ^{71a,71b}, W. Vandelli ³⁵, A. Vaniachine ¹⁶³, P. Vankov ¹¹⁸, R. Vari ^{70a}, E.W. Varnes ⁷, C. Varni ^{53b,53a}, T. Varol ⁴¹, D. Varouchas ¹²⁸, K.E. Varvell ¹⁵⁴, G.A. Vasquez ^{144b}, J.G. Vasquez ¹⁸⁰, F. Vazeille ³⁷, D. Vazquez Furelos ¹⁴, T. Vazquez Schroeder ¹⁰¹, J. Veatch ⁵¹, V. Vecchio ^{72a,72b}, L.M. Veloce ¹⁶⁴, F. Veloso ^{136a,136c}, S. Veneziano ^{70a}, A. Ventura ^{65a,65b}, M. Venturi ¹⁷³, N. Venturi ³⁵, V. Vercesi ^{68a}, M. Verducci ^{72a,72b}, C.M. Vergel Infante ⁷⁶, C. Vergis ²⁴, W. Verkerke ¹¹⁸, A.T. Vermeulen ¹¹⁸, J.C. Vermeulen ¹¹⁸, M.C. Vetterli ^{149,ar}, N. Viaux Maira ^{144b}, M. Vicente Barreto Pinto ⁵², I. Vichou ^{170,*}, T. Vickey ¹⁴⁶, O.E. Vickey Boeriu ¹⁴⁶, G.H.A. Viehhauser ¹³¹, S. Viel ¹⁸, L. Vigani ¹³¹, M. Villa ^{23b,23a}, M. Villaplana Perez ^{66a,66b}, E. Vilucchi ⁴⁹, M.G. Vincter ³³, V.B. Vinogradov ⁷⁷, A. Vishwakarma ⁴⁴, C. Vittori ^{23b,23a}, I. Vivarelli ¹⁵³, S. Vlachos ¹⁰, M. Vogel ¹⁷⁹, P. Vokac ¹³⁸, G. Volpi ¹⁴, S.E. von Buddenbrock ^{32c}, E. Von Toerne ²⁴, V. Vorobel ¹³⁹, K. Vorobev ¹¹⁰, M. Vos ¹⁷¹, J.H. Vosseveld ⁸⁸, N. Vranjes ¹⁶, M. Vranjes Milosavljevic ¹⁶, V. Vrba ¹³⁸, M. Vreeswijk ¹¹⁸, T. Šfiligoj ⁸⁹, R. Vuillermet ³⁵, I. Vukotic ³⁶, T. Ženiš ^{28a}, L. Živković ¹⁶, P. Wagner ²⁴, W. Wagner ¹⁷⁹, J. Wagner-Kuhr ¹¹², H. Wahlberg ⁸⁶, S. Wahrenmund ⁴⁶, K. Wakamiya ⁸⁰, V.M. Walbrecht ¹¹³, J. Walder ⁸⁷, R. Walker ¹¹², S.D. Walker ⁹¹, W. Walkowiak ¹⁴⁸, V. Wallangen ^{43a,43b}, A.M. Wang ⁵⁷, C. Wang ^{58b,d}, F. Wang ¹⁷⁸, H. Wang ¹⁸, H. Wang ³, J. Wang ¹⁵⁴, J. Wang ^{59b}, P. Wang ⁴¹, Q. Wang ¹²⁴, R.-J. Wang ¹³²,

R. Wang^{58a}, R. Wang⁶, S.M. Wang¹⁵⁵, W.T. Wang^{58a}, W. Wang^{15c,ad}, W.X. Wang^{58a,ad}, Y. Wang^{58a}, Z. Wang^{58c}, C. Wanotayaroj⁴⁴, A. Warburton¹⁰¹, C.P. Ward³¹, D.R. Wardrope⁹², A. Washbrook⁴⁸, P.M. Watkins²¹, A.T. Watson²¹, M.F. Watson²¹, G. Watts¹⁴⁵, S. Watts⁹⁸, B.M. Waugh⁹², A.F. Webb¹¹, S. Webb⁹⁷, C. Weber¹⁸⁰, M.S. Weber²⁰, S.A. Weber³³, S.M. Weber^{59a}, A.R. Weidberg¹³¹, B. Weinert⁶³, J. Weingarten⁴⁵, M. Weirich⁹⁷, C. Weiser⁵⁰, P.S. Wells³⁵, T. Wenaus²⁹, T. Wengler³⁵, S. Wenig³⁵, N. Wermes²⁴, M.D. Werner⁷⁶, P. Werner³⁵, M. Wessels^{59a}, T.D. Weston²⁰, K. Whalen¹²⁷, N.L. Whallon¹⁴⁵, A.M. Wharton⁸⁷, A.S. White¹⁰³, A. White⁸, M.J. White¹, R. White^{144b}, D. Whiteson¹⁶⁸, B.W. Whitmore⁸⁷, F.J. Wickens¹⁴¹, W. Wiedenmann¹⁷⁸, M. Wielers¹⁴¹, C. Wiglesworth³⁹, L.A.M. Wiik-Fuchs⁵⁰, F. Wilk⁹⁸, H.G. Wilkens³⁵, L.J. Wilkins⁹¹, H.H. Williams¹³³, S. Williams³¹, C. Willis¹⁰⁴, S. Willocq¹⁰⁰, J.A. Wilson²¹, I. Wingerter-Seez⁵, E. Winkels¹⁵³, F. Winklmeier¹²⁷, O.J. Winston¹⁵³, B.T. Winter²⁴, M. Wittgen¹⁵⁰, M. Wobisch⁹³, A. Wolf⁹⁷, T.M.H. Wolf¹¹⁸, R. Wolff⁹⁹, M.W. Wolter⁸², H. Wolters^{136a,136c}, V.W.S. Wong¹⁷², N.L. Woods¹⁴³, S.D. Worm²¹, B.K. Wosiek⁸², K.W. Woźniak⁸², K. Wraight⁵⁵, M. Wu³⁶, S.L. Wu¹⁷⁸, X. Wu⁵², Y. Wu^{58a}, T.R. Wyatt⁹⁸, B.M. Wynne⁴⁸, S. Xella³⁹, Z. Xi¹⁰³, L. Xia¹⁷⁵, D. Xu^{15a}, H. Xu^{58a}, L. Xu²⁹, T. Xu¹⁴², W. Xu¹⁰³, B. Yabsley¹⁵⁴, S. Yacoob^{32a}, K. Yajima¹²⁹, D.P. Yallup⁹², D. Yamaguchi¹⁶², Y. Yamaguchi¹⁶², A. Yamamoto⁷⁹, T. Yamanaka¹⁶⁰, F. Yamane⁸⁰, M. Yamatani¹⁶⁰, T. Yamazaki¹⁶⁰, Y. Yamazaki⁸⁰, Z. Yan²⁵, H.J. Yang^{58c,58d}, H.T. Yang¹⁸, S. Yang⁷⁵, Y. Yang¹⁶⁰, Z. Yang¹⁷, W.-M. Yao¹⁸, Y.C. Yap⁴⁴, Y. Yasu⁷⁹, E. Yatsenko^{58c,58d}, J. Ye⁴¹, S. Ye²⁹, I. Yeletsikh⁷⁷, E. Yigitbasi²⁵, E. Yildirim⁹⁷, K. Yorita¹⁷⁶, K. Yoshihara¹³³, C.J.S. Young³⁵, C. Young¹⁵⁰, J. Yu⁸, J. Yu⁷⁶, X. Yue^{59a}, S.P.Y. Yuen²⁴, B. Zabinski⁸², G. Zacharis¹⁰, E. Zaffaroni⁵², R. Zaidan¹⁴, A.M. Zaitsev^{140,ak}, T. Zakareishvili^{156b}, N. Zakharchuk³³, J. Zalieckas¹⁷, S. Zambito⁵⁷, D. Zanzi³⁵, D.R. Zaripovas⁵⁵, S.V. Zeiβner⁴⁵, C. Zeitnitz¹⁷⁹, G. Zemaityte¹³¹, J.C. Zeng¹⁷⁰, Q. Zeng¹⁵⁰, O. Zenin¹⁴⁰, D. Zerwas¹²⁸, M. Zgubič¹³¹, D.F. Zhang^{58b}, D. Zhang¹⁰³, F. Zhang¹⁷⁸, G. Zhang^{58a}, H. Zhang^{15c}, J. Zhang⁶, L. Zhang^{15c}, L. Zhang^{58a}, M. Zhang¹⁷⁰, P. Zhang^{15c}, R. Zhang^{58a}, R. Zhang²⁴, X. Zhang^{58b}, Y. Zhang^{15d}, Z. Zhang¹²⁸, P. Zhao⁴⁷, X. Zhao⁴¹, Y. Zhao^{58b,128,ah}, Z. Zhao^{58a}, A. Zhemchugov⁷⁷, Z. Zheng¹⁰³, D. Zhong¹⁷⁰, B. Zhou¹⁰³, C. Zhou¹⁷⁸, L. Zhou⁴¹, M.S. Zhou^{15d}, M. Zhou¹⁵², N. Zhou^{58c}, Y. Zhou⁷, C.G. Zhu^{58b}, H.L. Zhu^{58a}, H. Zhu^{15a}, J. Zhu¹⁰³, Y. Zhu^{58a}, X. Zhuang^{15a}, K. Zhukov¹⁰⁸, V. Zhulanov^{120b,120a}, A. Zibell¹⁷⁴, D. Zieminska⁶³, N.I. Zimine⁷⁷, S. Zimmermann⁵⁰, Z. Zinonos¹¹³, M. Zinser⁹⁷, M. Ziolkowski¹⁴⁸, G. Zoernig¹⁷⁸, A. Zoccoli^{23b,23a}, K. Zoch⁵¹, T.G. Zorbas¹⁴⁶, R. Zou³⁶, M. Zur Nedden¹⁹, L. Zwalinski³⁵

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany NY, United States of America

³ Department of Physics, University of Alberta, Edmonton AB, Canada

⁴ (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁵ LAPP, Université Grenoble Alpes, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX, United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX, United States of America

¹² (a) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul; (b) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; (c) Department of Physics, Bogazici University, Istanbul; (d) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey

¹³ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹⁴ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain

¹⁵ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing;

(d) University of Chinese Academy of Science (UCAS), Beijing, China

¹⁶ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁷ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁸ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America

¹⁹ Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany

²⁰ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

²¹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

²² Centro de Investigaciones, Universidad Antonio Nariño, Bogota, Colombia

²³ (a) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna; (b) INFN Sezione di Bologna, Italy

²⁴ Physikalisches Institut, Universität Bonn, Bonn, Germany

²⁵ Department of Physics, Boston University, Boston MA, United States of America

²⁶ Department of Physics, Brandeis University, Waltham MA, United States of America

²⁷ (a) Transilvania University of Brasov, Brasov; (b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (e) University Politehnica Bucharest, Bucharest; (f) West University in Timisoara, Timisoara, Romania

²⁸ (a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

²⁹ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America

- ³⁰ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ³¹ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- ³² ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- ³³ Department of Physics, Carleton University, Ottawa ON, Canada
- ³⁴ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucleaires (CNSTEN), Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
- ³⁵ CERN, Geneva, Switzerland
- ³⁶ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America
- ³⁷ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France
- ³⁸ Nevis Laboratory, Columbia University, Irvington NY, United States of America
- ³⁹ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
- ⁴⁰ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy
- ⁴¹ Physics Department, Southern Methodist University, Dallas TX, United States of America
- ⁴² Physics Department, University of Texas at Dallas, Richardson TX, United States of America
- ⁴³ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm, Sweden
- ⁴⁴ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany
- ⁴⁵ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴⁶ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁷ Department of Physics, Duke University, Durham NC, United States of America
- ⁴⁸ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁹ INFN e Laboratori Nazionali di Frascati, Frascati, Italy
- ⁵⁰ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany
- ⁵¹ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany
- ⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland
- ⁵³ ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova, Italy
- ⁵⁴ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵⁵ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁶ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France
- ⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
- ⁵⁸ ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, KLPPAC-MoE, SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai, China
- ⁵⁹ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
- ⁶⁰ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶¹ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- ⁶² Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
- ⁶³ Department of Physics, Indiana University, Bloomington IN, United States of America
- ⁶⁴ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- ⁶⁵ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁶⁶ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁶⁷ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ⁶⁸ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ⁶⁹ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ⁷⁰ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ⁷¹ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ⁷² ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- ⁷³ ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento, Italy
- ⁷⁴ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁷⁵ University of Iowa, Iowa City IA, United States of America
- ⁷⁶ Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- ⁷⁷ Joint Institute for Nuclear Research, Dubna, Russia
- ⁷⁸ ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;
- ⁷⁹ Universidade Federal de São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil
- ⁸⁰ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁸¹ Graduate School of Science, Kobe University, Kobe, Japan
- ⁸² ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ⁸³ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
- ⁸⁴ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁸⁵ Kyoto University of Education, Kyoto, Japan
- ⁸⁶ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
- ⁸⁷ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁸⁸ Physics Department, Lancaster University, Lancaster, United Kingdom
- ⁸⁹ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁹⁰ Department of Experimental Particle Physics, Jozef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
- ⁹¹ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁹² Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁹³ Louisiana Tech University, Ruston LA, United States of America
- ⁹⁴ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁹⁵ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ⁹⁶ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain
- ⁹⁷ Institut für Physik, Universität Mainz, Mainz, Germany
- ⁹⁸ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ⁹⁹ CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France
- ¹⁰⁰ Department of Physics, University of Massachusetts, Amherst MA, United States of America

- ¹⁰¹ Department of Physics, McGill University, Montreal QC, Canada
¹⁰² School of Physics, University of Melbourne, Victoria, Australia
¹⁰³ Department of Physics, University of Michigan, Ann Arbor MI, United States of America
¹⁰⁴ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
¹⁰⁵ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
¹⁰⁶ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus
¹⁰⁷ Group of Particle Physics, University of Montreal, Montreal QC, Canada
¹⁰⁸ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
¹⁰⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
¹¹⁰ National Research Nuclear University MEPhI, Moscow, Russia
¹¹¹ D.V. Skobel'syn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹¹² Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹¹³ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹¹⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹¹⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹¹⁶ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
¹¹⁷ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹¹⁸ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹¹⁹ Department of Physics, Northern Illinois University, DeKalb IL, United States of America
¹²⁰ ^(a) Budker Institute of Nuclear Physics, SB RAS, Novosibirsk; ^(b) Novosibirsk State University Novosibirsk, Russia
¹²¹ Department of Physics, New York University, New York NY, United States of America
¹²² Ohio State University, Columbus OH, United States of America
¹²³ Faculty of Science, Okayama University, Okayama, Japan
¹²⁴ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
¹²⁵ Department of Physics, Oklahoma State University, Stillwater OK, United States of America
¹²⁶ Palacký University, RCPMT, Joint Laboratory of Optics, Olomouc, Czech Republic
¹²⁷ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
¹²⁸ LAL, Université Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹²⁹ Graduate School of Science, Osaka University, Osaka, Japan
¹³⁰ Department of Physics, University of Oslo, Oslo, Norway
¹³¹ Department of Physics, Oxford University, Oxford, United Kingdom
¹³² LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France
¹³³ Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
¹³⁴ Konstantinov Nuclear Physics Institute of National Research Centre "Kurchatov Institute", PNPI, St. Petersburg, Russia
¹³⁵ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
¹³⁶ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC de Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹³⁷ Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic
¹³⁸ Czech Technical University in Prague, Prague, Czech Republic
¹³⁹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
¹⁴⁰ State Research Center Institute for High Energy Physics, NRC KI, Protvino, Russia
¹⁴¹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹⁴² IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France
¹⁴³ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
¹⁴⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
¹⁴⁵ Department of Physics, University of Washington, Seattle WA, United States of America
¹⁴⁶ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁷ Department of Physics, Shinshu University, Nagano, Japan
¹⁴⁸ Department Physik, Universität Siegen, Siegen, Germany
¹⁴⁹ Department of Physics, Simon Fraser University, Burnaby BC, Canada
¹⁵⁰ SLAC National Accelerator Laboratory, Stanford CA, United States of America
¹⁵¹ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁵² Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY, United States of America
¹⁵³ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵⁴ School of Physics, University of Sydney, Sydney, Australia
¹⁵⁵ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵⁶ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
¹⁵⁷ Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel
¹⁵⁸ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵⁹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁶⁰ International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan
¹⁶¹ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁶² Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁶³ Tomsk State University, Tomsk, Russia
¹⁶⁴ Department of Physics, University of Toronto, Toronto ON, Canada
¹⁶⁵ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
¹⁶⁶ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
¹⁶⁷ Department of Physics and Astronomy, Tufts University, Medford MA, United States of America
¹⁶⁸ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America
¹⁶⁹ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁷⁰ Department of Physics, University of Illinois, Urbana IL, United States of America
¹⁷¹ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Valencia, Spain
¹⁷² Department of Physics, University of British Columbia, Vancouver BC, Canada
¹⁷³ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
¹⁷⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany
¹⁷⁵ Department of Physics, University of Warwick, Coventry, United Kingdom
¹⁷⁶ Waseda University, Tokyo, Japan
¹⁷⁷ Department of Particle Physics, Weizmann Institute of Science, Rehovot, Israel

¹⁷⁸ Department of Physics, University of Wisconsin, Madison WI, United States of America

¹⁷⁹ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany

¹⁸⁰ Department of Physics, Yale University, New Haven CT, United States of America

¹⁸¹ Yerevan Physics Institute, Yerevan, Armenia

- ^a Also at Borough of Manhattan Community College, City University of New York, NY; United States of America.
- ^b Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town; South Africa.
- ^c Also at CERN, Geneva; Switzerland.
- ^d Also at CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ^e Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ^f Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^g Also at Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); Spain.
- ^h Also at Department of Applied Physics and Astronomy, University of Sharjah, Sharjah; United Arab Emirates.
- ⁱ Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^j Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.
- ^k Also at Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ^l Also at Department of Physics, California State University, Fresno CA; United States of America.
- ^m Also at Department of Physics, California State University, Sacramento CA; United States of America.
- ⁿ Also at Department of Physics, King's College London, London; United Kingdom.
- ^o Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg; Russia.
- ^p Also at Department of Physics, Stanford University; United States of America.
- ^q Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- ^r Also at Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ^s Also at Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ^t Also at Giresun University, Faculty of Engineering, Giresun; Turkey.
- ^u Also at Graduate School of Science, Osaka University, Osaka; Japan.
- ^v Also at Hellenic Open University, Patras; Greece.
- ^w Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; Romania.
- ^x Also at II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ^y Also at Institutio Catalana de Recerca i Estudis Avançats, ICREA, Barcelona; Spain.
- ^z Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^{aa} Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen; Netherlands.
- ^{ab} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest; Hungary.
- ^{ac} Also at Institute of Particle Physics (IPP); Canada.
- ^{ad} Also at Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ^{ae} Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{af} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- ^{ag} Also at Istanbul University, Dept. of Physics, Istanbul; Turkey.
- ^{ah} Also at LAL, Université Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay; France.
- ^{ai} Also at Louisiana Tech University, Ruston LA; United States of America.
- ^{aj} Also at Manhattan College, New York NY; United States of America.
- ^{ak} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny; Russia.
- ^{al} Also at National Research Nuclear University MEPhI, Moscow; Russia.
- ^{am} Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ^{an} Also at School of Physics, Sun Yat-sen University, Guangzhou; China.
- ^{ao} Also at The City College of New York, New York NY; United States of America.
- ^{ap} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{aq} Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny; Russia.
- ^{ar} Also at TRIUMF, Vancouver BC; Canada.
- ^{as} Also at Università di Napoli Parthenope, Napoli; Italy.
- * Deceased.